9 SouthComm Business Media VehicleServicePros.com, official website of PTEN

\$15.00 • October 2016 Volume 27, Number 9

2016 People's **Choice Winners:**

PTEN readers weigh in on their top products from this year's Innovation Awards entries. Page 64

REFLASH

The Independent Tool Authority

Professional Tool & Equipment News

RAP – **Remote Assisted PROGRAMMING KIT**

By Drew Technologies

Details on the cover products, and other new tools page 10

Tool Briefing: Recognizing and addressing GDI issues

Tool Reviews: Technician feedback on products from Cal-Van, TraXion, SABER and Noregon Systems



Straight or a 45-degree angled jaw



Padded bumpers . clamped surface



Solving problems before they happen.

VehicleMRI is a quick, online tool that examines a vehicle's internal electronic system to assess the current health of the vehicle by using proprietary algorithms to reveal and forecast problems that other vehicle inspection methods cannot. Great for auto repair shops, fleet managers, car dealerships, and auction buyers.

Perform hundreds of standard and dealer-level tests on multiple systems that would take hours for a technician.

Easy to read reports flag out-of-range parameters, failed test reports and items close to failing.

Effective alert system since a vehicle could have a serious problem and no dash warning lights displayed.

The first vehicle inspection system to analyze both OBD2 generic and enhanced data.

Checks if a vehicle's on-board computer needs a software update.


Try a 30-day subscription to VehicleMRI for FREE by using coupon code: TRYMRI. Requires an OBD2 vehicle interface.



See Us at AAPEX Booth #2226



Call us: 888-366-3273 | Vist us: VehicleMRI.com Circle 15 on card, or enter at "e-inquiry" on VehicleServicePros.com



Technicians have multiple scan tool brands to choose from. The OTC Encore is fastest at what counts, and that's fixing vehicles. No tool is faster at code-to-fix, pulling the DTC and showing the likely repair.

Request an Encore demo in your shop and fix faster than the usual suspects. Visit otctools.com/fix-cars-faster today to have one of our diagnostics specialists visit your shop for a free demo.

Circle 16 on card, or enter at "e-inquiry" on VehicleServicePros.com

OCTOBER Contents

PTEN

2016

Innovation Awards

PEOPLE'S

CHOICE



We allowed readers to provide their top picks in each category for the 2016 PTEN Innovation Awards. Check out the winners of the 2016 PTEN People's Choice, for all 26 categories.

70 AAPEX/SEMA PRODUCT PREVIEW

As we prepare for AAPEX and SEMA 2016, we have got a sneak peek of some products that will be on-hand at these shows.



DFEATURED NEW PRODUCTS Check out new tools from

Drew Technologies, E-Z Red, Knipex Tools and ShopSol. Then, read about all the other new products, beginning on page 11.

72 TOOL BRIEFING While gas direct injection (GDI) systems have improved since the early adoption of this technology, carbon buildup

can still be an issue shops must address.

San Diego-based shop owner Randy Begin shares his top tools that help him efficiently service and repair vehicles.

78 TOOL REVIEWS Our review panel gives feedback on the following tools:

- Cal-Van Tools Amp Hound 2
- TraXion BigFoot ProGear Roll Seat
- SABER 700-lm COB LED Rechargeable Tube Light



Technicians give their takes on diagnostic tools. This month:

 Noregon Systems JPRO Professional















EDITOR'S NOTE

Vehicle software updates are necessary to address any number of maintenance or repair events in the shop, even parts replacement.

82 CATEGORY SPOTLIGHT

This month's section features product information and user tips on shop equipment and tool storage. In addition to product details, this section features links to product video demos, tech tips and more.

88 MARKETPLACE

64

90 BIG-TIME BOXES

Owner: Marc Mellgren Shop: Crystal Lake Automotive Location: Lakeville, Minn.



Once we return from Vegas next month, we'll share all the latest and greatest tools we scoped out while at the shows. Stay tuned for the AAPEX and SEMA Editor's Picks in December.





RAP – Remote Assisted Programming Kit by Drew





AutoLink

Maxi**TPMS**

Maxi**Check**

DO YOU OWN ONE OF THESE SERVICE TOOLS?



REGISTERED TOOLS CAN ROUTINELY DOWNLOAD LATEST SOFTWARE UPDATES FOR COMPLETE COVERAGE

All tools must be registered at www.autel.com to download software updates. Create a FREE user account then register all your tools under one Autel user ID. Tools carry a one-year limited warranty effective upon registration.














SEMA Booth #41305 AAPEX Booth #1467



Circle 17 on card, or enter at "e-inquiry" on VehicleServicePros.com

Now Online At /EHICLESERVICEPROS





Micro IR-200 Non-Contact Infrared Thermometer Ridaid VehicleServicePros.com/

12224329



uTest. No. 16-200 AESwave VehicleServicePros.com/ 12223205



746XLT Impact Wrench Nesco Professional Tool VehicleServicePros.com/ 12226300



Look for this logo in PTEN to identify where you can email to provide feedback and contact us.

The Independent Tool Authority Published by SouthComm Business Media, Inc

Professional Tool 6 Equipment News

PO Box 803 • 1233 Janesville Ave Q Fort Atkinson WI 53538 SouthComm Business Media 920-563-6388 • 800-547-7377

Printed in the U.S. Vol. 27, No. 9, October 2016

GROUP PUBLISHER Larry M. Greenberger LGreenberger@SouthComm.com

PUBLISHER Kylie Hirko 262-473-9497 KHirko@SouthComm.com

EDITOR Erica Schueller 800-547-7377 x1630 ESchueller@SouthComm.com

MANAGING EDITOR Mike Schmidt 800-547-7377 x1394 MiSchmidt@SouthComm.com

ASSISTANT EDITOR Vesna Brajkovic 800-547-7377 x1645 VBrajkovic@SouthComm.com

> MULTIMEDIA ACCOUNT EXECUTIVE Cortni Jones 800-547-7377 x1391 CLJones@SouthComm.com

> MULTIMEDIA ACCOUNT EXECUTIVE Diane Braden 800-547-7377 x1364 DBraden@SouthComm.com

> MULTIMEDIA ACCOUNT EXECUTIVE Mattie Gorman 800-547-7377 x1636 MGorman@SouthComm.com

INSIDE SALES Kaylee Kidd 800-547-7377 x1362 KKidd@SouthComm.com

PRODUCTION MANAGER Wes Gray

800-547-7377 x1337 WGray@SouthComm.com ADMINISTRATIVE ASSISTANT Mary Houk 800-547-7377 x1764 MHouk@SouthComm.com

ART DIRECTOR Yuly Osorio

LIST RENTAL REP Elizabeth Jackson 847-492-1350 x18 ejackson@meritdirect.com

AUDIENCE DEVELOPMENT MANAGER Sue Hanson

SOUTHCOMM, INC

CEO - Chris Ferrell CFO - Ed Tearman COO - Blair Johnson VP, Production Operations - Curt Pordes VP, Technology - Eric Kammerzelt EVP - Gloria Cosby

Subscription Customer Service 877-382-9187; 847-559-7598 Circ.PTEN@omeda.com

PO Box 3257 • Northbrook IL 60065-3257 Article reprints . Brett Petillo

Wright's Media 877-652-5295, ext. 118 bpetillo@wrightsmedia.com

Professional Tool & Equipment News (USPS 012-426, ISSN 1081-4485 print; ISSN 2150-2072) is published ten times a year in February, March, April, May, June, July, August, September, October, and December by SouthComm Business Media, LLC. 1233 Janesville Avenue, Fort Atkinson, WI 53538. Periodicals postage paid at Fort Atkinson, WI 53538 and additional mail-ing offices. POSTMASTER: Send address changes to Professional Tool & Equipment News, PO Box 3257, Northbrocha, IL 60065-3257. Canada Post PM40612608. Return undeliverable Canadian addresses to: Professional Tool & Equipment News, PO Box 35542 I ondon ON N6C 622 & Equipment News, PO Box 25542, London, ON N6C 6B2.

Subscriptions: Individual subscriptions are available without charge in the U.S. to qualified subscriptions. Publisher reserves the right to reject non-qualified subscriptions. Subscription prices: U.S. \$46 per year, \$88 two year; Canada/Mexico \$67 per year, \$124 two year; All other countries \$98 per year, \$185 two year. All subscriptions payable in U.S. funds, drawn on U.S. bank. Canadian GST#842773848. Back issue \$10 prepaid, if available. Printed in the USA. Copyright 2016 SouthComm Business Media, LLC.

All rights reserved. No part of this publication may be reproduced or trans-mitted in any form or by any means, electronic or mechanical, including photocopy, recordings or any information storage or retrieval system, without permission from the publisher.

SouthComm Business Media, LLC does not assume and herby disclaims any liability to any person or company for any loss or damage caused by errors or omissions in the material herein, regardless of whether such errors result from negligence, accident or any other cause whatsoever. The views and opinions in the articles herein are not to be taken as official expressions of the publishers, unless so stated. The publishers do not warrant, either expressly or by implication, the factual accuracy of the articles herein, nor do they so warrant any views or opinions offered by the authors of said articles.



(TOOL REVIEW

The WD-40 Specialist Spray & Stay Gel Lubricant offers lubrication and corrosion protection that won't run, drip or make a mess. The gel-like formula is engineered with selfhealing technology that softens to lubricate when there's friction, and when the friction stops, it solidifies again to protect against rust and corrosion. WD-40 Specialist Spray & Stay Gel prevents rust for up to one year. To read the full review, visit VehicleServicePros.com/12244028





SUPERIOR LUBRICATION

REVENTS RUST UP TO ONE YEAR

NET WEIGHT 10 OZ 12839

OT IL ROMANNE MATTIC

What are the top considerations that go into designing safe automotive workwear? To read the full article, visit: VehicleServicePros.com/12256073





If you work with tools for a living and you want the security and protection of knowing that your professional investments are covered, then Pro-TEC is a viable option. To read the full article, visit: VehicleServicePros.com/12254980



The Snap-on P87150 Precision Pliers are designed with cutting edge geometry to balance sturdiness with sharpness. To watch a video about this product, visit: VehicleServicePros.com/12191101

FACEBOOK facebook.com





6 PTEN O OCTOBER 2016 O VehicleServicePros.com



DIAGNOSTIC POWER MEETS PRACTICAL AFFORDABILITY

NEXT GENERATION OF AFFORDABLE SCAN TABLET DAGROSTIC EVOLUTION

Built to replace the DS708 with the same tethered connection now providing internal battery power, the MS906 features faster Android based software navigation and the latest hardware updates.

| | Name and a speed(1/min) | Value 889.5 | Unit Q Y aj | (1) |
|------|--|--------------------------|----------------|-----|
| | 114 Idle: Target speed(1/min) 115 Oil pressure(hPa) | 922 2647 | | |
| | 150- 100- 400- | \sim | A | |
| | 3400 1000 1000 | | | |
| | 1200- 000- 1500- | | | |
| | | <u>10.07 10.04 10.19</u> | B210 0471 | |
| | 102 Coolant temperature | 55.5 | °C | |
| | 103 Engine oil temperature O | 44.25 | *C | |
| | 104 Battery voltage | 14.8 | v | |
| | | nting Clear data Freeze | Record Back | |
| 1189 | | vci 🖴 😃 | | |
| | MaxiSy | /S (115000) | | |

Combining powerful software with affordable hardware for the price conscious technician that requires advanced level diagnostics.

FAST | SIMPLE | ACCURATE | AFFORDABLE

WHY BUY A SECONDARY TPMS TOOL?

ADVANCED DIAGNOSTICS WITH COMPLETE TPMS FUNCTIONALITY Now technicians don't need a second TPMS tool to trigger, relearn, or program Autel MX-Sensors and quickly test all vehicle systems with one ultra-fast, lightweight, wireless, touch screen tablet.

- SAME LEVEL VEHICLE COVERAGE AND ADVANCED DIAGNOSTICS AS MS906 - EMBEDDED TPMS ANTENNA FOR COMPLETE TPMS SYSTEM DIAGNOSTICS

Circle 18 on card, or enter at "e-inquiry" on VehicleServicePros.com







All tools must be registered and updated immediately



SEMA Booth #41305 AAPEX Booth #1467







A recall isn't just parts replacement anymore

Vehicle software updates are necessary to address any number of maintenance or repair events in the shop, even parts replacement.

By Erica Schueller, Editor Erica@VehicleServicePros.com

may catch some flak for this from some of you, but I have my vehicle serviced at a dealership. (They caught me with a maintenance package deal when I bought it.) My Subaru Outback has already had three vehicle recalls since I purchased it two years ago – but one of those notices was actually a software update to the Starlink infotainment system, instead of the traditional parts replacement to address a system issue.

In fact, looking through recent recalls for Subaru, as well as other vehicle manufacturers, there's been a continuous increase in software updates to fix computerrelated systems on late-model vehicles.

While vehicles under warranty will still be taken to dealerships, and vehicle recalls will still likely be handled at the dealer level, the tools and equipment used to reprogram the vehicles can handle all vehicle software updates – not just NHTSA-mandated recalls. There are also a number tool options available to the aftermarket to complete this service.

"With the advent of CAN networks, there are many more instances where programming is necessary when a component is replaced. Many vehicles now require a programming event when seemingly normal service repairs, like battery replacements, are done," says Barry Hoyland,

> Many vehicles now require a programming event when seemingly normal service repairs, like battery replacements, are done.

PTEN contributing editor, shop owner and industry trainer.

As the average age of vehicles on the road continues to rise, and those vehicles are no longer covered by a manufacturer's warranty, drivers won't necessarily need to receive these services at a dealership – but an aftermarket repair shop must become a one-stop shop for all service needs in order to fill that void.

Service technicians at independent repair shops currently have access to J2534 reprogramming devices, but there is still reluctance from many techs in the industry to take on reprogramming for a number of reasons: uncertainty in training, concerns with purchasing the equipment and the return on investment for buying this equipment.

But, that may soon change.

This month's cover product addresses these concerns for the independent repair shop. The Drew Technologies Remote Assisted Programming Kit (on page 10) provides shops the ability to complete J2534 ECU reprogramming updates and electronically-controlled parts replacements remotely. Meaning, the service tech receives all the necessary equipment to hook up to the vehicle – including the necessary power supply – and access to experts in the field to conduct the reprogramming remotely on the tech's behalf.

And, the shop isn't purchasing any of the reprogramming equipment – they pay only for the programming event.

This isn't to say that shop-owned programming hardware won't be commonplace at some point in the future, but there are now options in the interim as shops begin to take on more programming work; or only choose to intermittently provide this service. **PTEN**



Mike Schmidt Managing Editor



Vesna Brajkovic Assistant Editor



Barry Hoyland Contributing Editor

PTEN Editorial Advisory Board

Technicians John Harris, Brooks-Huff Goodyear, Timonium MD Eric Moore, DeMary Trucks, Columbus, OH Lou Fort, K.A.R.S. Inc., Huntingburg, IN Shop_Owners Phil Fournier, Phil's Auto Clinic, Hernet, CA Edwin Hazzard, Southeast Mobile Tech, Goose Creek, SC Barry Hoyland,

VSSCA, Camarillo, CA Dave Lang, Independent Vehicle Service, Albuquerque, NM

Pete Rudloff, Pete's Garage Inc., Newark, DE


Equipment Manufacturers

Alan Sipe, Knipex Tools

Chad Schley, Schley Products/SP Tools

Jim O'Hara, Clore Automotive

Ed Lipscomb, Bosch Automotive



GearWrench innovation has come to impact tools. With an expanded selection of sockets, universal and pinless universal sockets, hex bit sockets, standard and locking extensions, universal joints, and adapters, GearWrench has the impact styles and sizes you need to tackle any job. And now, with six powerful new GearWrench 80 Series and 81 Series air impact wrenches to choose from, there are even more ways GearWrench helps you Get It Done[™].







Circle 19 on card, or enter at "e-inquiry" on VehicleServicePros.com



K icking off the New Products section each month, our Featured New Products page includes brand new products showcased on the cover that are available to the automotive market.

Polyurethane seat will not deteriorate

The **ShopSol Welding Stool**, No. 1010302, has a polyurethane seat developed with a chemical mix to not deteriorate even with welding splash that is not removed immediately. The seat will wipe clean. With all components tested in welding environments, the seat's ergonomic design promotes increased productivity, according to the company. The round ring height adjustment control can be accessed from any seating position to move the seat from its low setting of 15-1/2" to 20-1/2" or its high setting of 19-1/2" to 26-1/2". The Welding Stool includes an 18" diameter steel tool tray, and it meets and exceeds BIFMA testing standards. **Circle 20 on card. or enter at "e-inquiry"**

on VehicleServicePros.com

Straight or 45-degree angled jaw

The KNIPEX Extra Long Needle Nose Pliers, Nos. 28 71 280 and 28 81 280, feature multiple gripping zones and are capable of pulling and twisting. Small pipes, screws, cables and round parts can be carefully gripped, held and guided with the four grooves in the serrated jaws of these slim pliers. The tool is available with a straight or a 45-degree angled jaw for additional flexibility, which helps prevent scraped knuckles while trying access hard-to-reach areas. The pliers offer non-slip plastic coated handles and they are forged from German tool steel, oil-hardened and tempered. **Circle 21 on card, or enter at "e-inquiry"**

on VehicleServicePros.com

Padded bumpers protect the clamped surface

The **E-Z Red Hood Hawk Under Hood Clamp Light System**, No. XLUHLS, can be used as hands-free illumination under hoods, wheel wells and undercarriage. The COB LED provides 1,000 lm on high and 500 lm on low. It is micro-USB rechargeable - both a cord and A/C adapter are included - and provides a three-hour run-time on high, and six hours on low. Padded bumpers protect the clamped surface from damage and provide a secure grip. The light adjusts through two axes, allowing versatility when directing the light onto a work area. It also includes an interchangeable hand grip for handheld use.

> Circle 22 on card, or enter at "e-inquiry" on VehicleServicePros.com



J2534 reprogramming, with no equipment cost

The Drew Technologies Remote Assisted Programming (RAP) Kit

provides shop technicians the ability to complete J2534 ECU reprogramming updates and electronically-controlled parts replacements, with no startup or equipment costs, and no specialized technician training required. Flash success is guaranteed, says the company. Shops have two options for using the RAP kit: they can rent the kit or they can lease the kit. Both options do not require any upfront costs, and are based on a pay-per-use model. The selfcontained kit provides everything needed to program an ECU, including the remote expert. Circle 23 on card, or enter at "e-inquiry" on VehicleServicePros.com



Available in 6- and 14-gal versions

The **Homak Line of Oily Waste Cans** can be used with or without a liner and offer a

self-closing lid, molded handles, a handsfree foot lever, a flared base for stability and a seamless leak-proof design. These waste cans offer a heavy wall HDPE construction, offer fire-safe temporary material storage and meet OSHA NFPA Code 30 requirements. The Line of Oily Waste cans comes in a 6-gal and a 14-gal version and are made in the U.S.A.

Circle 24 on card, or enter at "e-inquiry" on VehicleServicePros.com



The Florida Pneumatic AIRCAT 3/8" Mini Palm Ratchet, No. 807, offers 35 ft/ lbs of torque at a free speed of 300 rpm. The 1.1-lb, 5.4" tool has a quick socket release switch to assist changing sockets. The compact tool can be used around radiators and in other restricted work spaces. The composite grip adds comfort while insulating the operator's hand from the effects of cold air.

Circle 25 on card, or enter at "e-inquiry" on VehicleServicePros.com

Robotic nozzle cleaning station for welding systems

The **Tregaskiss Tough Gun TT3E Reamer** robotic nozzle cleaning station offers remote monitoring capabilities, allowing companies to oversee and troubleshoot

the I/O of each reamer function and its allowable parameters through the programmable logic controllers, all in real-time and without the need to remove the unit from the weld cell. Featuring discrete control, the TT3E offers the flexibility to monitor and adjust all motions, along with insert

te E 1-

recovery or fault control. In automatic mode, the reamer provides control over double-stroke, start-up dwell time and top-of-stroke dwell time. In the manual mode, there is control over the sequence and duration of each function by firing individual I/O. A 3/4 hp lubricated air motor with gear reducer offers the high torque necessary for spatter removal, while operating at lower speeds to protect the spindle and cutter blade from excessive wear. Adding to this durability, the spindle has a rotating rod accuracy of 0.001" to 0.004" at its extended position.

Circle 27 on card, or enter at "e-inquiry" on VehicleServicePros.com

Cordless, rechargeable drum pump

Designed for pumping DEF, diesel, antifreeze, water, detergents, herbicides, pesticides, kerosene, light oils and more, the **K-Tool International 19.2V Electric Rechargeable Drum Pump**, No. KTI72215, delivers up to 7.4 gpm and up to 110 gallons on a single battery charge. This cordless pump includes 19.2V Ni Cd rechargeable battery and UL-listed quick battery charger. It is portable, compact and features a lightweight polyacetal body, making it easy to use just about anywhere. The versatile telescopic pump tube allows use with 55-gal drums as well as 275-330 gal IBCs. The pump comes with a built-in 2" bung and an additional bung converter (2.5" x 5 buttress) to allow for use with plastic drums and IBCs. **Circle 26 on card, or enter at "e-inquiry" on VehicleServicePros.com**

Powered by an 18V Li-ion battery pack

The **Zipp Air Tool Cordless Riveter**, No. ZCR18BL, uses a brushless motor that extends the life of the motor

and does not have electromagnetic interference. With double injection housing, the riveter has a battery power indicator, overloading protection and high-efficiency ventilation. Powered by an easy-release 18V Li-ion battery pack, the tool sets blind rivets up to 1/4", offers two-speed adjustment, a stroke of 26mm and pulling force of 1,900 lbs. The cordless riveter offers automatic reversing, a full metal gearbox and an ergonomic grip.

Circle 28 on card, or enter at "e-inquiry" on VehicleServicePros.com



Insulate and protect soldered connections and connectors

The Lisle Adhesive Heat Shrink Tubing Assortment, No. 27100, includes 60 4" long tubes with five diameters in various colors for insulating and protecting soldered connections and connectors. The tubing, which provides a water-resistant seal, also can be used for marking and bundling wires. This tubing is halogen free and both UL- and CSA-certified at 600V at 125 degrees C. It shrinks at 194 degrees to 248 degrees F (90 degrees to 125 degrees C) with a radial shrink ratio of 3:1. The assortment includes 14 1/8" diameter tubes, 16 3/16" diameter tubes, 14 1/4" diameter tubes, eight 3/8" diameter tubes and eight 1/2" diameter tubes.

Circle 29 on card, or enter at "e-inquiry" on VehicleServicePros.com



Satin chrome plated

The VIM Tools Ford Truck Bed Socket, No. FTB24, is available for the Inverted Torx Plus on 2017 Ford truck beds. The beds have low-profile Torx Plus fasteners holding the truck bed



to the frame. This tool is well-suited for applications related to the Ford truck beds. Satin chrome plated, this socket features EP24 Torx and 1/2" Square Drive.

Circle 30 on card, or enter at "e-inquiry" on VehicleServicePros.com



Non-slip drawer liners

The **SK Hand Tool 56" 9 Drawer Roller Cabinet**, No. 56561, is part of the SK Tool Box line. With 6,396 sq. in. of space, the all-aluminum cart provides a load capacity 1,000-lb per caster and each drawer has a rating of 250 to 500 lbs. It comes with premium non-slip drawer liners and measures 56" wide by 43.5" high by 30" deep. **Circle 31 on card, or enter at "e-inquiry" on VehicleServicePros.com**

Compact head and rounded sides

The **KTC Tools Nepros** 3/8" sq. Ratchet Handle, No. NBR390, has a compact head that houses a 90-tooth gear, seven-level claw driving mechanism with a feed angle of 4 degrees. With rounded sides to make it look even more compact, the Ratchet Handle's switch lever has a large swing width, adding to easy usability. The tool's light return travel and smooth action enhance effectiveness when working in tight spaces, according to the company.

Circle 32 on card, or enter at "e-inquiry" on VehicleServicePros.com



Operates for 90 minutes on single charge

The Larson Electronics RL-11 rechargeable handheld HID light is a lightweight, ergonomic handheld light that operates for 90 minutes on a single charge of its 14.4V Li-ion battery. The 35-watt, high-intensity discharge lamp in this unit produces a 3,500-lm light beam capable of reaching distances up to 3,000'. A snap-on diffuser lens transforms this unit to a flood configuration producing a 200' by 200' light beam for close, wide area illumination. This HID light is weatherproof and resists the intrusion of water and dust. The Li-ion battery is fully charged in approximately four hours. An integral micro-relay enables the user to power the HID light from a 12/24V DC vehicle cigarette plug outlet. This unit includes a molded carrying case that houses the light, the battery, the flood lens, a shoulder strap and the AC wall charger.

Circle 33 on card, or enter at "e-inquiry" on VehicleServicePros.com



Won't accidentally close

The **Coast FDX302 Knife** uses the company's Double Lock System with a Frame Lock, which provides added safety and prevents the knife from accidentally closing. With a stainless steel handle to go along with the a stainless steel blade, this knife carries less bulk yet is strong enough for many tasks. The FDX302 is a stylish and extra-safe, mid-size knife for everyday carry. The knife, which is 7.5" long overall — 4.5" when closed with a 3" blade — is backed by Coast's lifetime warranty against defects in materials and workmanship.

Circle 34 on card, or enter at "e-inquiry" on VehicleServicePros.com



Works with any scope

The Automotive Diagnostics and Publishing Automotive Secondary Ignition Probe works with the company's Scope-1, as well as with any other oscilloscope. This tool will turn any scope into an engine analyzer. Users can perform misfire diagnosis and repair quickly and easily.

Circle 35 on card, or enter at "e-inquiry" on VehicleServicePros.com



Low manganese levels

The Hobart FabCO Element 71C and FabCO Element 71M wires have been added to the company's Element line of low-manganese wires. In addition to low manganese levels, both the Element 71C and Element 71M wires offer enhanced out-of-position capabilities, making it easier for welding operators to create quality welds regardless of joint placement. The wires produce low spatter levels to minimize post-weld cleaning, and have a fastfreezing, easy-to-remove slag to reduce the risk of slag inclusions. The Element 71C is formulated to operate with 100 percent CO2 shielding gas, while the Element 71M operates with 75 to 90 percent argon and a balance of CO2. Hobart offers both in industry standard diameters of 0.045", 0.052" and 1/16" on 33-lb fiber spools.

Circle 36 on card, or enter at "e-inquiry" on VehicleServicePros.com

START PUTTING THOUSANDS of dollars back into your shop.

UNLIMITED 2% CASH BACK

With the SPARK[®] CASH CARD every expense could be an opportunity to boost your bottom line and put thousands back into your business. Earn cash back on equipment, parts, advertising, and everything in between.



C&U AUTO SERVICE 0000 1234 5578 9010

CapitalOne.com/SmallBusiness

Credit approval required. Offered by Capital One Bank (USA), N.A. © 2016 Capital One Circle 37 on card, or enter at "e-inquiry" on VehicleServicePros.com



CapitalOne[®]



Take amperage readings on large cables

The **SOLAR Amp Clamp Accessory**, No. BAA8, from **Clore Automotive**, can be connected to the BA427 Digital Battery and System Tester to take amperage readings throughout the vehicle electrical system. It features a 29mm opening, allowing it to clamp over large gauge cables, such as battery cables. The Amp Clamp is CAT-III/600V certified and connects to the Clore BA427 via a standard port on the front of the unit. It can also be used to interface with other electronic equipment, including most DMMs and scopes.

Circle 38 on card, or enter at "e-inquiry" on VehicleServicePros.com

B CC



Automotive C-Frame Socket Press

The automotive press can be used for a number of different removal and installation jobs on various driveline and non-driveline related parts. Any standard socket with ¼", ¾" or ½" drive can be used in any combination for the use on virtually all cars, ATV/UTV/SxS, light-duty trucks and farm machinery.

\$229.95

- Rigid C-frame with 2.5 ton capacity
- Manufactured from high-grade steel for strength and durability
- Hardened self-lubricated steel components to help prevent galling

Application

- Universal & Double Cardan Joints
- Wheel Studs
- Suspension Bushings



Patent-pending design

1.800.661.4661 | tigertool.com

Circle 41 on card, or enter at "e-inquiry" on VehicleServicePros.com

Supplies both task and area lighting

The Milwaukee Tool M18 Rocket LED Tower Light/ Charger can be set up in five seconds, provides 3,000 lm of Trueview high-definition output and is equipped with a built in M18 charger. Supplying both task and area lighting, this tower light delivers multidirectional light through the use of three adjustable light heads. Its impact-resistant, reinforced legs and low center of gravity allow it to thrive in the toughest conditions, according to the company. It has a run-time of up to 17 hours.

Circle 39 on card, or enter at "e-inquiry" on VehicleServicePros.com

Extract metal chip and debris

The Guardair ReverseForce Air Gun, No. 75RF048AA, extracts metal chips and debris from deep inside axle housings, machine cavities and gear boxes. According to the company, standard air guns with conventional nozzles can drive metal chips and debris deep into sensitive mechanical equipment, causing failure and future maintenance problems. The ReverseForce directs compressed air back toward the opening, thereby expelling chips and debris from the interior. ReverseForce, which is made in the U.S.A., has a durable cast aluminum with a hanging hook, nozzle and extension, a wide trigger for comfort and a 1/4" FNPT inlet. Circle 40 on card, or enter at "e-inquiry" on VehicleServicePros.com



It's about time somebody introduced R/R/R machines for the 21st century!



VEHICLE: STANDARD

VACUUM

IN LEAK TEST

O oz

82.5%

>26.0 inHG

EXIT

EN/PSI/1F/LB/ML 12:12 PM IUL-20-2016

Refrigerant **Transfer Screen** allows for visual, real time progress of tank filling, recovery and charge process.



EN/PSI/"F/LB/M

SV07

2

SV06

A RLO

EXIT BACK

SV01 P 5V02

SV05

SV09 SV10

A RLOI

 \square

0

2

0



14.07 LB

103 ML 95 ML

authorized service technicians allowing for quick and easy diagnosis with a touch of the screen.

Status Screen

of all resources.

as vacuum pump

usage time.

for quick reference

Information provided

on filter life as well

Mastercool "World Class Quality"

PHONE: 973-252-9119 FAX: 973-252-2455 WWW.MASTERCOOL.COM

Vacuum/Leak Test Screen fully customizable options allow the user to personalize the times of vacuum and leak testing.



WI-FI capability allows for real time, interactive communication and troubleshooting

Circle 42 on card, or enter at "e-inquiry" on VehicleServicePros.com





Lightweight, durable composite housing

The Cornwell bluePOWER 1" Impact Wrench with 6" Extended Anvil. No. CAT6156BP, has a twin-hammer mechanism that generates a maximum torque of 2,000 ft/lbs in reverse and a free speed of 6,200 rpm. With a lightweight, durable composite housing, the tool offers an oversized rear-mounted directional switch to allow quick changes even with gloves on. To achieve its full power, the tool should be used with a 3/4" I.D. hose. The chainsawstyle trigger improves ergonomics, and the overall length of the product is 19.8". It has a side handle for user control, and the extended 6" anvil reaches into wheels without the need for any extra extensions. Circle 43 on card, or enter at "e-inquirv" on

VehicleServicePros.com



The Monster Low Profile Service Jack, No. MST13002, features solid steel construction, green and black Monster colors, a wide 4.5" saddle and a dual-piston pump system. With a low height of 3.5", the heavy duty jack can get under most low-clearance vehicles, and its dual-piston pump system allows the jack to reach its maximum height of 21.38" in only four pumps with no load. It can lift up to 3.5 tons and is equipped with a safety valve to prevent overloading. The two-piece handle with bumper pad offers a comfort grip while also offering protection for the vehicle. The company offers a two-year warranty and this jack complies with ASME PASE 2014 safety standards.


Circle 44 on card, or enter at "e-inquiry" on VehicleServicePros.com

Features a 212cc Mi-T-M overhead valve engine



The Mi-T-M Corporation 3000 Watt Inverter Generator provides clean and quiet power for job sites. Compact and easy to move, this generator features a 212cc Mi-T-M overhead valve engine with low-oil shutdown and recoil start. Its insulated side panels reduce noise and it offers 3,000 watts of power. Copper windings and an alternator total harmonic distortion (THD) of less than 3 percent provide power for sensitive electronic equipment. When more power is needed, utilize the parallel connection port box accessory. This option connects two Mi-T-M inverter generators together to utilize the power of two units at once. Circle 45 on card, or enter at "e-inquiry" on

VehicleServicePros.com



SEMA Booth #16225

The Professional Technician's Choice





Compresses any size brake caliper

The **Cal-Van Tools Universal Caliper Turn and Push-Back Tool**, No. 727, compresses any size brake caliper, from motorcycles, standard size cars, trucks and SUVs, to 18-wheelers. A 3/8" ratchet can be inserted on the end of the tool for easier

RACERLINE



use. This turn and push-back tool can also perform front brake jobs by flipping the head around, and it eliminates the need for sets with high piece counts.

Circle 48 on card, or enter at "e-inquiry" on VehicleServicePros.com

BECAUSE YOU CAN NEVER BE TOO SENSITIVE.

PRO-Alert[™]**IR** TP-9364 Infrared Electronic Refrigerant Leak Detector



Features state-of-the-art infrared sensor technology for extremely accurate detection of R-12, R-134a, R-1234yf and other refrigerant leaks. Certified to meet both SAE **J2791** and **J2913** performance standards for electronic refrigerant leak detectors.

- Optimum sensitivity detects leaks down to 0.1 oz year (3 g/year)
- Infrared sensor provides extremely long life of 1,000 hours or more!
- Audible alarm and multiple LEDs help locate leaks fast
- NiMH battery provides over six hours of use between charges

Comes complete with:





ISO 9001:2008

AAPEX Booth #865

CERTIFIED COMPANY



TO LEARN MORE, SCAN **QR CODE** OR VISIT: WWW.TRACERLINE.COM

Circle 51 on card, or enter at "e-inquiry" on VehicleServicePros.com

Increases the speed of tire changes

The GRP Redline Pneumatic Manual Tilt with 24" Turntable, No. 2460, allows for one-per son operation. The tower safeguards against wheel damage and the twin cylinder mounting helper,

with two points of depression, changes low-profile and run-flat tires simply and safety. This manual tilt increases the speed of tire changes and reduces technician fatigue, according to the company. This manual tilt has a 10" to 24" outside clamping capacity, a 13" to 27" inside clamping capacity and offers plastic protection for alloy wheels.

Circle 49 on card, or enter at "e-inquiry" on VehicleServicePros.com

Illuminated gauge face for easy readability

The **JB Industries LED Backlit Gauges**, Nos. M2-820L and M2-825L, off an illuminated gauge face for legibility in dark environments. The 3-1/8" gauges feature a

sturdy metal case, have an accessible on/off rocker switch and are assembled in the U.S.A. The replaceable 3V lithium coincell battery provides an average battery life of more



than 250 hours. Both the compound (No. M2-820L) and pressure (No. M2-825L) gauges are available for the two-valve Patriot, four-valve Zeppelin and four-valve Revolver manifolds.

Circle 50 on card, or enter at "e-inquiry" on VehicleServicePros.com



Circle 52 on card, or enter at "e-inquiry" on VehicleServicePros.com







Works alongside technical data

The Auto Workshop Supplies Diagnostic Assistance software works alongside technical data and is focused on guiding the technician on how best to analyze a fault and identify the origin of the cause. The Diagnostic Assistance also explains how to test individual compo-

nents, how the components work and also give professional hints and tips. This tool helps to fix a fault quickly, and also serves as a teaching system, according to the company. Circle 53 on card, or enter at "e-inquiry" on VehicleServicePros.com

POWERED BY REAL PEOPLE



The first and only cloud-based, vehicle-connected diagnostic support solution

THERE'S NOTHING ELSE LIKE IT OUT ON THE MARKET!



YOU GET ALL THIS!

Autologic Assist Solution Package Includes: One year of expert vehicle diagnostic support* from our Fault 2 Fix team of dealer-trained Master Technicians, AssistPlus diagnostic device, Rugged Case, OBD II Cable, Power Cable, BMW and Mercedes cable kits (20 & 38 pin), the Drew Tech CarDAQ-Plus J2534 Pass-Thru device, diagnostic software for BMW, Mini, Jaguar, Land Rover, Mercedes-Benz, Volkswagen, Audi, and Volvo, dedicated hardware support and a 1 Year Warranty. Winner gets first year of diagnostic support for free. Additional years of diagnostic support service are available and require the purchase of an additional support package. Winner is not obligated to purchase further service after the initial free year. Additional years of service are optional

Circle 56 on card, or enter at "e-inquiry" on VehicleServicePros.com



Lifting vehicle of any axle length or wheelbase

The Challenger Lifts Heavy Duty Mobile Lift, No. CLHM-135, is a maneuverable mobile lift with columns that can be operated on almost any solid surface, indoor or out, and lift any rubber tired vehicle up to 148,000 lbs. The mobile lift is capable of lifting vehicles of any axle length or wheelbase. This lift system, along with optional sets of accessory support stands, can also accommodate multiple bays at a time.

Circle 54 on card, or enter at "e-inquiry" on VehicleServicePros.com



Removes corrosion in areas that are difficult to reach

The Die Blaster from MONTI Tools features an angled head design, and it provides a solution to accessing difficultto-reach areas. The Die Blaster pneumatic incorporates a patented Accelerator Bar multiplying four times the impact force of the bristles on the 11mm wide belt to ensure easy removal of rust, paint and protective coatings leaving a clean and textured (as blasted) surface, ideal for the adhesion of a new coating application. It is meant to be a solution for hard-to-reach areas on bodywork and mechanical applications. The company also offers six different Die Blaster belts to choose from in carbon steel and stainless steel materials. Circle 55 on card, or enter at "e-inquiry" on VehicleServicePros.com



O. MALEOIRS

36"

6.

OEMHOOLS

'n

Ľ

OEMETOUS

CORNEL CORNEL

Ent

DEMILOOL

56"

Circle 57 on card, or enter at "e-inquiry" on VehicleServicePros.com

(4)

AAPEX Booth #1650

THIS TIME SIZE DOES MATTER SPACE TO STORE ALL YOUR TOOLS - SIZES TO FIT ANY WORKSPACE

OEMTOOLS® offers the newest innovations in quality tool storage, backed by our 3 year warranty. There's a range of sizes and colors to meet your needs. OEMTOOLS® are available at these better distributors: oem-tools.com, shop-mds.com, amazon.com, pepboys.com, and summitracing.com.



Circle 58 on card, or enter at "e-inquiry" on VehicleServicePros.com
SEMA Booth #10361



Maximum capacity of 66,000 lbs

The MAXIMA Battery Operated Mobile Column Lift, No. 4030BC, is an ALI-certified battery operated unit. These mobile column lifts feature a lifting capacity 16,500 lbs per column and a maximum capacity of 66,000 lbs. MAXIMA's mobile columns are easily moved by one person, have adjustable lifting forks, an LCD



screen on each column, an "emergency stop" button and the capability of being used indoors and outdoors. Rechargeable batteries are included with all battery-operated units.

Circle 59 on card, or enter at "e-inquiry" on VehicleServicePros.com

Ratcheting flare jaw mechanism

The Astro Pneumatic 5-pc Ratchet and Release Flare Nut Wrench Sets are available for SAE (No. 7120) and metric (No. 7210M) applications. Featuring a patented ratcheting flare jaw mechanism, the tools offer the strength of a ratcheting box end wrench with the accessibility of a flare nut

wrench. Smaller sizes feature a rocker pawl clutch for freeing the wrench from the line and flare nut, and larger sizes are designed to provide more strength. The SAE set includes 3/8", 7/16", 9/16", 5/8" and 11/16" sizes while the metric set provides 10mm, 12mm, 13mm, 14mm and 18mm sizes.

Circle 60 on card, or enter at "e-inquiry" on VehicleServicePros.com

Cleaning and surface preparation products

The **Madison Chemical ReStore Kit** is a combination of several of the company's cleaning and surface preparation products. The multi-prod-



uct kit comes in one box that contains one gallon of AquaBlue general purpose multi-metal surface cleaner, one gallon of TreadBrite Foam acidic cleaner for multi-metals including stainless steel, one gallon of CR-120N Nitric Acid cleaner for passivation of stainless steel, a container of Jel Terge powdered viscosity enhancer/gel builder that is 2 lbs, as well as detailed instructions. This comprehensive kit allows users to clean, etch, remove surface oxides, and prepare a wide variety of metal surfaces. When used with the Compound CR-120N this can help to start to passivate some 300 series stainless steels where desired.

Circle 61 on card, or enter at "e-inquiry" on VehicleServicePros.com



THE LEADING FORUM FOR MOBILE A/C & HEAT TRANSFER

GLUBAL SERVICE HORIZONS

MACS THANKS OUR 2017 SPONSORS



Visit our website at www.macsw.org

FACEBOOK: www.facebook.com/macsw TWITTER: www.twitter.com/macs_worldwide LINKEDIN: www.linkedin.com mobile air conditioning group WORDPRESS: macsworldwide.wordpress.com YOUTUBE: youtube.com/user/macsworldwide

Circle 62 on card, or enter at "e-inquiry" on VehicleServicePros.com





Protects the forward/reverse switch

The ProMaxx ProGard, No. PPG5250, snaps right over the top of a ProMaxx ProRatchet (No. PPR5250). This accessory allows using small pry bar to make drilling easier and faster while guarding the forward and reverse switch, and the ProRatchet tool, from damage. The ProGard is constructed of solid aluminum and hard coated red anodize to last longer. Made in the U.S.A.

Circle 63 on card, or enter at "e-inquiry" on VehicleServicePros.com



Alignment numbers in 88 seconds

The GRP Space Aligner provides alignment numbers in 88 seconds for five-wheel alignment, including the steering wheel, the company says. The fast rolling run-out allows cars to be rolled about 6" for a read. The space aligner features eight sensor CCD accuracy, Bluetooth connection for stable wireless transmission, remote controls and indicators.

Circle 64 on card, or enter at "e-inquiry" on VehicleServicePros.com



Offers increased visibility

The Snap-on Industrial Williams Wireless Borescope, No. JHW40282, features a detachable 3.5" thin-film transistor LCD monitor, as well as a flexible 3/8" lens tube measuring 3' in length. A lens-mounted LED provides adjustable brightness while the 3x zoom capability offers increased visibility. In addition to a lightweight, handheld design, wireless connectivity allows for the transmission of still images and video without hassle. The borescope also supports up to a 32GB micro SD card, has a built-in rechargeable Lithium battery and features a waterproof camera. This borescope comes with a power adapter, USB and AV output cables, and includes a carrying case.

13805

DIGITAL STORAGE

OSCILLOSCOPE/GMM

• 20-Meg per second sample rate

· Preset standard sensor/actuator/

• Glitch mode to capture single events

· Complete kit with two shielded test leads,

ignition waveforms

Full auto signal capture



www.LangTools.com

13803 **AUTOMOTIVE DIGITAL** MULTIMETER



- ACV/DCV, ACA/DCA, resistance, diode, frequency, continuity, temperature
- Duty cycle and dwell reading RPM measurement
- Ruggedized design



13804 CAT IV DIGITAL MULTIMETER



- Cat IV 600/Cat III 1000V for HEV work
- High accuracy standard DMM
- Fuel injector pulse width testing
- RPM measurements with included inductive pick-up
- Limited lifetime warranty

13810 **CAT IV WIRELESS CLAMP/ VOLT METER**

- · Wireless High Amps, Low Amps, and Voltage in one complete kit
- · View readings remote on your smartphone or tablet
- mA resolution for parasitic current drain
- · High current clamp for starter and charging current
- DC /AC Volts for checking voltage drops while under load
- · Cat IV rated safety for use with HEV diagnostics

DIGITAL DIAGNOSTIC TOOLS DESIGNED FOR THE AUTOTECH

Circle 65 on card, or enter at "e-inquiry" on VehicleServicePros.com

NACE automechanika CHICAGO



America's leading international trade fair for the automotive service industry targeting trade visitors from the US & Canada

Exhibition: July 26-28, 2017 Training: July 27-29, 2017 McCormick Place West, Chicago, IL



messe frankfurt

MARKETS ARE GOOD. EXPANDING YOUR MARKET IS BETTER.

Get first look at all the NEW PRODUCTS launching. NETWORK with manufacturers, suppliers, wholesalers and importers. FREE TRAINING on the latest technology by the industry's top EXPERTS!

www.AutomechanikaChicago.com AMCHinfo@USA.MesseFrankfurt.com

Sign up today! AutomechanikaChicago.com/Register

AFTERMARKET WORLD Motor Age

Circle 66 on card, or enter at "e-inquiry" on VehicleServicePros.com





Foot-operated grease gun

The **LockNLube G.Gun** is a 10,000-psi foot-operated grease gun that does not require batteries. It features a two-stage pump that creates a wave action in the grease, eliminating air locks and the need for a follower plate. The canister holds 2 gallons of grease. The G.Gun's patented pressure return valve eliminates pressure locks and returns excess grease to the canister, instead of spilling onto the shop machine. It comes equipped with a LockNLube Grease Coupler and a 6.5' hose. Longer hoses are also available.

Circle 67 on card, or enter at "e-inquiry" on VehicleServicePros.com



Torque multiplier lug wrench

The **Cheater Wrench** is a torque multiplier lug wrench that can generate the force needed to loosen lug nuts. To use, attach the socket to the lug nut, insert the output shaft into the socket, attach the handle to the input shaft and turn. There is no need for an impact gun to turn the input shaft. Users just turn it by hand to loosen the lug nut. The Cheater Wrench includes a socket extension that allows use on all kinds of wheels, not just steer tires. The tool comes with a lifetime warranty, and several other 1" drive sockets are also available.

Circle 68 on card, or enter at "e-inquiry" on VehicleServicePros.com



Redesigned to reduce user energy and strain

The KNIPEX Tools Lineman's Pliers were redesigned to reduce user energy and strain by 25 percent while providing superior cutting power, according to the company. The redesigned Lineman's line features a smaller rivet moved closer to the jaws to create an ultra-high leverage design, an oval-shaped design for better cutting of round or oval-shaped cable and a design well-suited for deburring conduit pipes. The pliers are forged and oil hardened out of German, vanadium electric steel and feature precise, induction-hardened (64 HRC) cutting edges for long life and easy cutting of soft, hard and ACSR wire. The pliers have a serrated, crosshatched knurled gripping zone in the jaws for pulling and gripping applications. The pliers are available with dipped, dual-component grip and 1,000V-insulated handles. Circle 69 on card, or enter at "e-inquirv" on

VehicleServicePros.com



6700 Series Low Vibration "Lube Free" Orbital and Geared Sanders



AIRCAT has developed a series of "lubrication free" sanders that incorporate the latest engineering concepts, advanced materials and patented designs. The AIRCAT technology reduces weight, noise & vibration, while extending the tool life. The AIRCAT "smooth design throttle lever" and the "ergonomic grip" featured in orbital sanders provide unmatched operating comfort.

- A choice of fourteen models 3/32" and 3/16" orbit options
- Non vacuum, central vacuum and self vacuum options
- 3", 5" 6", and 8" "hook & loop" pad options
- Only 1.6 CFM average air consumption and 6.2 CFM continuous running under load
- Advanced silencing technology reduces noise levels to 75-78 d(B)A
- Patented double sealed, lubrication free motor prevents dust contamination of the air motor and eliminates the need for oiling
- Orbital sanders feature the AIRCAT "smooth design" throttle lever and "ergonomic grip" providing unmatched comfort
- Patented "anti vibration" motor reduces vibration level to 0.8 m/sec2

www.**AIRCAT**.com

- Low weight: Orbital sanders 2.0 lbs. and geared sanders 3.4 lbs.
- Low profile: Orbital sanders 4.3" high and geared sanders 4.5"

VEAR WARRANTY

Circle 70 on card, or enter at "e-inquiry" on VehicleServicePros.com

SEMA Booth #10379



Our newest Heavy-Duty & Commercial Diagnostic tool



A storm is brewing in the world of Heavy-Duty, Medium-Duty, and OBDII Vehicle Diagnostic Adapters...

DrewLinQ is a high-performance, rugged device supporting Heavy-Duty, Medium-Duty, and OBDII vehicles as well as off-highway, agricultural, military, automotive, and other industrial-stationary equipment. It supports 3 high-speed CAN (J1939/ISO15765) channels, J1708, and all of the OBDII protocols. It works with the TMC RP1210 applications you currently use, other J2534 OBDII pass-thru and diagnostic applications, and comes with a standard 2-year warranty.

Circle 71 on card, or enter at "e-inquiry" on VehicleServicePros.com

SEMA Booth #10664

Call now or visit our website for more information. 877.333.9036 • DrewTech.com/fleet







Stiffen sheet metal

The Woodward-Fab Bead Roller, No. WFBR6, is used to stiffen sheet metal used in replacement floor or trunk panels. It can also be used to create decorative beads and overlap weld joints. The WFBR6 features a large 18" throat depth, which allows the operator to reach the center of a 36" panel. The standard machine includes six sets of various size sand shapes of dies that will cover most applications. Woodward-Fab also offers even more die choices and can also make custom dies.

Circle 72 on card, or enter at "e-inquiry" on VehicleServicePros.com



Produces up to 700 Im

The Maxxeon WorkStar 620 Technician's Headlamp, No. MXN00620, offers a rechargeable LED that produces up to 700 lm. This lighting tool uses a brilliant white light to illuminate a work space. The beam has adjustable focus for distance, allowing users to select the appropriate beam dimensions - either flood or spot — depending on the distance from the work area. A single switch selects high, medium or low light output as needed. The light head pivots up or down to direct the light. The adjustable head strap makes it easy to wear for extended periods of time. The light comes with a 3' coil cord for mounting the battery pack on belt. It includes a 120V charger and USB cable, and an optional spare battery pack (No. MXN00600) is available.

Heads tilt and swivel independently



The Alert Stamping Twin Head 7,000 Lumen Floodlight with Tripod, No. LF238T, offers a color rendition rating of 79 percent, meaning colors closely appear as they would in natural sunlight, which is beneficial for painting. The COB light, featuring a comfortable color

temperature, has separate switched heads that tilt and swivel independently so the lights can be aimed in opposite directions to provide 360 degrees of illumination. The head bracket has a handle and can be unscrewed from the tripod and used alone. The 9' SJTW cord remains flexible in cold temperatures.

Circle 74 on card, or enter at "e-inquiry" on VehicleServicePros.com

CATERPILLAR ON AND OFF-HIGHWAY EQUIPMENT, CLASS 4 -8 HD AND OBDII COVERAGE - ALL FOR UNDER \$500.00

Circle 73 on card, or enter at "e-inquiry" on

VehicleServicePros.com



Circle 75 on card, or enter at "e-inquiry" on VehicleServicePros.com



GREAT SHOP MAKEOVER CONTEST

Enter today for your chance to win a 3 bay package valued over \$30,000!





Visit Us At www.shureusa.com Or Call Us At 1-800-227-4873

Circle 76 on card, or enter at "e-inquiry" on VehicleServicePros.com

No purchase necssary to win; set up and installation are NOT included. Deadline to enter **December 31, 2016**. For more information on Shure Manufacturing and its products, contact your participating mobile dealer, your local distributor or visit www.shureusa.com


Endless Storage Solutions for your Shop The award-winning Hansen Global ToolHanger



ansen Global's newest storage system, the ToolHANGER, is a plastic organization system offering technicians an efficient way to display, locate, organize, and account for tools quickly and easily. According to Julie Thielbar, Executive Vice President of Hansen Global, Inc., "The ToolHANGER's features and benefits are endless! In fact, it can be used to organize almost anything."

- 11.5" x 18" boards can be hung horizontally or vertically to maximize space.
- Six unique hangers allow for the organization of sockets, wrenches, power drills, screwdrivers, more!
- ToolHANGER's interlocking design allows for unlimited assembly of sizes and layouts
- Lifetime Warranty

Like all of Hansen Global's products, the ToolHANGER is proudly made in the USA



out of high-grade polypropylene and is built to last; "it will not break, warp, bend or rot," said Thielbar. Its durable, patented twist-and-lock hangers are made of glass-filled nylon, which securely fasten tools and equipment to the board making them a breeze to locate. The ToolHANGER is easy to install on all surfaces and can create any number of unlimited layouts—it can even span entire walls!

For more information, please visit our website, www.HansenGlobalinc.com, or call us toll-free at 877-793-5213.

Circle 77 on card, or enter at "e-inquiry" on VehicleServicePros.com



Circle 78 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #864





Get Direction straight to a shorted circuit with arrows on the tool Trace Open wires with visual navigation & sound indicators See how far you are from the wire with the distance level indicator No need to remove carpet, paneling or plastic Trace a short/open in half the time Works on Cars, Boats, RV's, light Duty & Heavy Duty Trucks



Test Components on/off the vehicle Verfiy you are working with Good/Bad Grounds Take Voltmeter Readings to verify circuit operation Take AC Voltmeter Readings for testing sensors and computer outputs Take Resistance Measurements for verifying circuits operating parameters Diagnose Fuel Injectors & injector circuits are operating correctly Verify correct computer driver operation (PCM/ECM Testing) Locate Open Circuits with ECT3000



SEMA Booth #10521

Circle 79 on card, or enter at "e-inquiry" on VehicleServicePros.com

SHOR

3000

WWW.POWERPROBE.COM | TOLL FREE 800.655.3585



Electro-mechanical wheel clamping

The ADG Mondolfo-Ferro M-4000C Wheel Balancer offers automatic laser measurement of lateral and radial run-

> out of the tire/ wheel assembly, as well as automatic laser parameter entry and laser weight placement. Electromechanical wheel clamping ensures maximum mounting accuracy on the 40mm shaft, while the 22" LCD touchscreen dis-

play makes operation simple and intuitive, according to the company. Auto location and shaft brake at weight correction location for both planes comes standard. **Circle 80 on card, or enter at "e-inquiry" on VehicleServicePros.com**

Adapters for most brake systems

The **Actron Brake Bleed Kit**, No. CP7840, assists in completing various brake jobs

that require a full system bleed, such as replacing a brake caliper, wheel cylinder, brake hose or line, or master cylinder. The kit offers the capability to bleed brake fluid without



spilling. It includes adapters for most vehicle brake systems, as well as the most common auto and light truck straight and angle adapters. Removable caps allow storage of leftover fluids.

Circle 81 on card, or enter at "e-inquiry" on VehicleServicePros.com



Degreasing regular, large and oversized parts

The Bio-Circle CleanBox Compact S, CleanBox Maxi and CleanBox Mega parts cleaning systems range in size to ease cleaning and degreasing regular, large and oversized parts. These units are designed for use with the company's water-based cleaning agents, CB 100 and CB 100 ALU. The Compact S and Maxi are available in heated versions to increase cleaning efficiencies, and non-heated versions for use at room temperature. The CleanBox Mega is designed to handle extremely large parts or to facilitate cleaning multiple large parts at once. The system includes a foot-petal activation flow-through brush with a funneled hose to supply cleaning product while brushing.

Circle 82 on card, or enter at "e-inquiry" on VehicleServicePros.com



all 800-227-1603 for more information WWW.esitest.com Professional Hand-Held Test Equipment since 1967

Circle 83 on card, or enter at "e-inquiry" on VehicleServicePros.com

32 PTEN O OCTOBER 2016 VehicleServicePros.com

AAPEX Booth #1050





PREMIER LIGHTS. BRAND NEW COLORS.



AAPEX Booth #871

Circle 84 on card, or enter at "e-inquiry" on VehicleServicePros.com





Resists solvents and chemicals

The Galeton Slick Grip Nitrile Double Coated Gloves, No. 12835, are fully waterproof and provide resistance to solvents and chemicals. A micro-textured, non-slip grip finish allows for dexterous superior grip in oily and wet applications, according to the company. This outer layer of non-slip grip is only applied to the palm side and fingertips where it is most needed to keep the gloves flexible. The inner layer of smooth nitrile coating covers the entire glove for 11" of liquid protection.

Circle 85 on card, or enter at "e-inquiry" on VehicleServicePros.com



Type 2 cable for J1939 communications

The Cojali Jaltest High-speed 9-pin Cable, No. JDC217M3, is a Type 2 cable for J1939 communications. Also known as the 9-pin Green Connector, this cable allows technicians to connect to heavy duty vehicles and buses that meet new greenhouse gases regulations. The cable adds the possibility to communicate with heavy duty vehicles at different SAE 1939 baud rates. New communication protocols allow system manufacturers to increase the data bus speed by the different Electronic Control Modules (ECMs). It features backward compatibility with the previous 9-pin Type 1 diagnostic connector, so users will be able to connect to any vehicle with a 9-pin Green or Black Connector.

Circle 86 on card, or enter at "e-inquiry" on VehicleServicePros.com



Produces up to 200 Im

The CAT Rechargeable Micro Utility Light, No. CT6525, is compact yet boasts 200 lm on high and 100 lm on low. A magnetic base and recessed folding hooks provide hands-free versatility. With a rechargeable Li-ion polymer battery and an onboard USB charge cord attached in a recessed groove, the Rechargeable Micro Utility Light provides approximately six hours of run-time on high and up to 14 hours on low. Additionally, an LED battery level indicator and a protected USB output charging port are included.

Circle 87 on card, or enter at "e-inquiry" on VehicleServicePros.com



SHIFT EVERY ALIGNMENT INTO HIGH GEAR

THE FAST, FLEXIBLE WAY TO REV UP YOUR ALIGNMENT REVENUE.





Featuring the next-generation user interface, the new V3300 wheel aligner is optimized for the high-volume customer and loads vehicles in a flash, providing rapid measurements and faster, more accurate alignments. And since its lightweight, three-camera system also folds to a compact size, it takes up less floor space and can move as one unit whenever required. For more information on how the V3300 can improve your team's performance, visit **www.JohnBean.com**.

Circle 89 on card, or enter at "e-inquiry" on VehicleServicePros.com



SEMA Booth #41095



Tower camera boom rises automatically

The **CEMB DWA3400 3D Image Wheel Aligner** is designed for cars and light trucks. This aligner runs on a Windows-based program with 30 years of U.S. car and light truck database specifications. There are no electronics to the targets on the wheels, and the tower camera boom rises automatically with the lift. Graphic illustrations show adjustment points by vehicle application and the software program that takes users through the alignment is user-friendly, according to the company. In the continental U.S., trained factory representatives install and train the aligner onsite when purchased.

Circle 90 on card, or enter at "e-inquiry" on VehicleServicePros.com

Report claims via phone, fax or email

The **Pro-TEC Mobile App** allows users to sign up for the company's Tool and Equipment Insurance Coverage and report a claim via phone, fax or email. Additionally the app enables users to access vital informational on their coverage at any time, request a quote, contact the company and stay up to date on renewals.

Circle 91 on card, or enter at "e-inquiry" on VehicleServicePros.com



Works on wheels with and without a lip

The QuickTrick Alignment QuickSlide Elite Series features little-to-no detachable parts and will work on most wheels with and without a lip, says the company. The QT Lippins hold fast to a wheel rim between the tire and wheel, and provides accuracy within 0.1 degree. No lift is required. Included is a QuickTrick case; dual side setup frame for caster, camber and toe; digital gauge; two tape measures; six attachment pins with red protector caps; an Allen wrench; and instructions. **Circle 92 on card, or enter at "e-inquiry" on**

VehicleServicePros.com



Circle 93 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #1454

GTC505 Engine Ignition Analyzer


Quick, Powerful, and Easy to Use

- 3.5" color display shows ignition waveform in real time
- · Compares measurements between cylinders
- Detects intermittent misfires
- Analog gauge and digital display
- Designed for use on car, marine, motorcycle, and small engines:
 - coil on plug
 - coil near plug
- waste spark (D.I.S.)
- conventional (distributor)
- magneto, etc.



Set Includes

- GTC505 with protective rubber holster
- Sensors for coil-on-plug & spark plug wires
- 12" long flexible probe
- USB charger and cable
- Hard padded case for carrying and storage





Candle stick graph compares maximum, minimum and average measurements of several cylinders



О1607 крм В ку 20 10 5 0 0 5

Chart mode used for detecting intermittent or infrequent failures and misfires

GTC505-CSC

Cable extension & spark plug wire clip-on sensor

- Clip-on sensor for spark plug wires
- 78" (2 m) long cable
- Shielded sensor and cable
 No ground
- connection required
- Can be used with COP sensor
- Designed for use with the GTC505

CT8002 Professional Cordless / Computer-Safe Circuit Tester

The condicast compared sale circuit res

- No ground or clip required
- High impedance input (computer & sensor-safe)

PEOPLE'S CHOICE

- Detects from 3 to 28 VDC
- Lights-up, buzzes, and vibrates
- Rugged construction with stainless steel body
- Safety v-groove needle accessory for piercing and carrying
- Powered by a single AA alkaline battery

Circle 94 on card, or enter at "e-inquiry" on VehicleServicePros.com

www.gtc.ca or call toll free 1-800-440-5582

'GTC' and 'GTC505' are trademarks of General Technologies Corp. - © 2016 General Technologies Corp.

General Technologies Corp



Quick rpm adjustable dial

The Astro Pneumatic Onyx 3/4hp Quick-Lock 1/4" Quiet Die Grinder, No. 216QL, utilizes a simple slide collar to lock the spindle in place. It requires only one standard wrench instead of two wrenches for attachment changes, and it offers a quick rpm adjustable dial

under the locking lever throttle. The grinder features a composite handle that eliminates vibration and cold temperatures. The 7/86[°], 1.82-lb tool has a free speed of 5,500 to 20,000 rpm and an average air consumption of 3.65 cfm.

Circle 95 on card, or enter at "e-inquiry" on VehicleServicePros.com



X-431 Pro PROFESSIONAL SCAN TOOL LIGHTNING FAST OFFERING A WIRED EXPERIENCE IN A NON WIRED DEVICE



- Featuring the latest in a Tablet and 4 core processor running an open Android[™] operating system
- Launch next generation software: OE-level access to Asian, European and Domestic applications for module coding, resets, relearns & bi-directional capabilities
- Install third party apps and software!

| BEMO | 6960 | BUICK |
|---------|-----------|---------|
| CADRLAC | CHEVROLET | CHEMILE |
| Jense | FORD | 544 |
| AD | LINCOLN | BHH |
| HTUNDAI | LEDUS | HONDA |

- Ultra fast Wi-Fi updates
- Auto-ID all available vehicle systems and modules
- Class-1 Bluetooth 4.0 connector for a wired OBD II experience in a wireless device
- Complete OBD1 set of connectors in a hard plastic case

1820 S. Milliken Ave • Ontario, CA 91761 ph: 1-877-528-6249 www.launchtechusa.com

Circle 96 on card, or enter at "e-inquiry" on VehicleServicePros.com 38 PTEN O OCTOBER 2016 O VehicleServicePros.com





Featuring soft padding for greater comfort

The Galeton Panther RT Leather Palm Gloves with Reinforced Thumb (No. 12334) and Panther Leather Palm Gloves Sewn with Cut- and Heat-Resistant Thread (No. 12507) are constructed from select leather for strength and suppleness. The 12334 Panther gloves have an extra piece of black premium leather in the highwear area between the thumb and first finger. The 12507 Panther gloves are identical to the company's Panther Leather Palm gloves' design, except they are sewn with a cut- and heat-resistant thread made from DuPont Kevlar fibers. Both styles feature soft padding for greater comfort and to reduce chafing. They also feature sturdy and breathable black canvas backs and durable, rubberized safety cuffs.

Circle 97 on card, or enter at "e-inquiry" on VehicleServicePros.com



Spot-cools unconditioned spaces

The **Go Fan Yourself Z-Chill Fan and Diffuser System** spot-cools unconditioned spaces within a facility. The Z-Chill provides the ability to distribute tempered air to enhance comfort, prevent heat stress and increase employee productivity levels. Applications include shops where comfort and energy are required with a minimum 20' ceiling height.

Circle 98 on card, or enter at "e-inquiry" on VehicleServicePros.com

DELIGHTFULLY SOUND-FREE



Engineered for high performance, efficiency and reliability, BendPak's Hush-Quiet RS7580H-603 rotary screw air compressor can meet the compressed air demands of high volume tire shops, general maintenance and fleet shops, vehicle body and paint facilities or busy automotive dealerships. Our exclusive Hush-Quiet technology makes it the perfect compressor to install in noise conscious service areas.

Circle 99 on card, or enter at "e-inquiry" on VehicleServicePros.com For more info visit www.bendpak.com/hushquiet or call 1-805-933-9970

*Valid at participating dealers. Prices subject to change after September 30, 2016 © 2016 BendPak, Inc • BendPak, Inc is a registered trademark.







QUICKJACK IS BACK FOR SEMA 2016. IMPROVED DESIGN! NEW MODELS!





Las Vegas Convention Center



www.quickjack.com © QuickJack 2016. QuickJack products are protected by one or more patents.

NOVEMBER 1-4

WESTGATE Booth No.16621



Recover hazardous dusts

The **Tiger-Vac AVSD Dust Extraction**/ **Vacuum Sanding Kit System**, also known as the AVSD-40L (4W) HEPA SK, was

> designed for recovering designated dry substances and hazardous dusts such as asbestos, lead, silica and mold. The air-operated, static dissipating extractor features a HEPA filter, stainless steel SAE 430 body and recovery tank, and is mounted on a cart for easy maneuverabil-

ity. The kit is ready to use and includes disposable filter bags.

Circle 101 on card, or enter at "e-inquiry" on VehicleServicePros.com

Measures up to 1,000V AC/DC voltage

The Klein Tools Auto Ranging TRMS Digital Multimeter,

No. MM700, measures up to 1,000V AC/DC voltage, 10A AC/DC current and 40M Ω resistance, temperature, capacitance, frequency, duty cycle and continuity. It also has a low impedance (LoZ) mode for identifying and eliminating ghost



or stray voltages. The MM700 is rated CAT IV 600V for safety, rated IP42 for water and dust ingress protection, and is built to withstand a 6.6' drop.

Circle 102 on card, or enter at "e-inquiry" on VehicleServicePros.com

Provides quick socket release

The Monster 1/2" Drive Click Style Torque Wrench, No. MST30004, has a torque range of 30-250 ft/lbs and is factory calibrated for accuracy within CW +/-3 percent at 10,000 cycles. Its 36-tooth pear head provides quick socket release, according to the company. Designed with a laser-etched scale for easy reading and a recessed switch plate for smooth actuation, its chrome-molybdenum ratchet gear and fully heat-treated handle provides high durability, long cycling life and stable accuracy. This tool is also available in the following sizes: 1/4" (No. MST30002), 3/8" (No. MST30003) and 3/4" (No. MST30005).

Circle 103 on card, or enter at "e-inquiry" on VehicleServicePros.com



Circle 104 on card, or enter at "e-inquiry" on VehicleServicePros.com

SEMA Booth #10508 / 10509



Remove plastic body fasteners and retaining clips

The OTC Three-Piece Push Pin/Body Clip Pliers Set, No. 2497, can remove plastic body fasteners and retaining clips in nearly any location. Each pliers in the set offers different angled jaws, including straight, 45-degree and 90-degree to make obscure areas easier to access while providing leverage to remove clips quickly. The tools' design lifts the center pin and pulls body clips without damaging the anchors, eliminating the need to provide replacement clips. The set comes with an OTC lifetime warranty.

Circle 105 on card, or enter at "e-inquiry" on VehicleServicePros.com



Four high-resolution cameras

The **Pinnacle Automotive Systems 3D Wheel Aligner**, No. T75, comes with a tablet remote standard and is equipped with the company's Golden Eye drive-on camera. The T75 utilizes 3-D technology, which is provided by four high-resolution cameras. A lower 19" LCD allows users to view the alignment screens while under the vehicle. Annual database updates are provided free for three years and can be downloaded from the web. The T75 can be installed within 60 minutes and no inshop calibration is required.

Circle 106 on card, or enter at "e-inquiry" on VehicleServicePros.com



Cut through steel and stainless steel

The Walter Surface Technologies Redesigned Zip Wheel is an abrasive disc made with the company's proprietary grain blend, to increase cutting speed through steel and stainless steel. The disc is more rigid than previous models, which allows for more consistent, straighter cuts. It also is constructed with a reinforced rib design on each side for cooler cutting. According to the company, the disc lasts longer and produces less dust.

Circle 107 on card, or enter at "e-inquiry" on VehicleServicePros.com





THAT'S HIM, HE FIXED MY CAR

POWERED BY BOSCH

FASTEST

7. Walte

ON-TOOL SONLINE REPAIR

> EASY TOUSE

VEHICLE

FIX CARS FASTER THAN THE USUAL SUSPECTS

encore



The OTC Encore diagnostic system with Identifix[®] works fastest from code-to-fix, has best-in-class coverage, is easy to use and is the ultimate repair suite.

Learn more, request a demo or enter to win an Encore every day through December 31, 2016 at otctools.com/PTENEncore.

Circle 109 on card, or enter at "e-inquiry" on VehicleServicePros.com



AAPEX Booth #5041

SEMA Booth #10171 otctools.com/PTENEncore





Scan tool and scope/graphing meter

The Snap-on MODIS Edge is a combination fullfunction scan tool and scope/graphing meter with a five-second boot-up and the new Instant ID feature that automatically reads the VIN upon connection



to the vehicle. The 9' lighted OBD cable assists connecting to vehicles, and the SMX operating system and quick links provide access to common procedures, such as oil specs and service interval resets. The 8" color touchscreen and four-way thumb pad allows for quick navigation. The Vehicle System Report, for 2008 and newer vehicles, displays a complete view of diagnostic results. Guided Components Tests show how to test, where to connect and what results to look for. MODIS Edge can also display up to eight live data parameters and provides an extended Wi-Fi range.

Circle 110 on card, or enter at "e-inquiry" on VehicleServicePros.com

Low-profile head for tight areas

The E-Z Red 1" Drive Extendable Ratchet, No. MR1X, features a low-profile head for tight areas and a reversible 24-tooth ratchet, which provides a 15-degree swing arc. The overall length is 25", but the handle extends to 40" for extra reach when needed. A full chrome knurled grip provides a firm and slip-resistant feel. With a steel construction, this ratchet exceeds ANSI standards. A repair head kit (No. RK1X) is available.

Circle 111 on card, or enter at "e-inquiry" on VehicleServicePros.com

Features a compact design made of die-cast aluminum

The Cornwell Tubing Bender, No. TC470FH, features a compact design made of die-cast aluminum to help it fit into tight spaces. It bends 3/16", 1/4", 5/16" and 3/8" O.D. tubing. The TC470FH has an optimum bending radius for each tubing size. It is a patented, quick-action indexing lever that repositions a two-stage handle midway through the bend when both handles begin to meet. This feature

allows easy fabrication of bends up to 180 degrees with reduced effort, better control and no crossing of handles. The handles have a cushioned grip for stability and added comfort.

Circle 112 on card, or enter at "e-inquirv" on VehicleServicePros.com



SEMA Booth #41285



The truly portable QuickJack[™] is convenient to use and lightning fast allowing technicians to easily move the lift wherever it's needed. The QuickJack eliminates the need to bend over, kneel or squat when working on vehicles. A lowered height of just 3" means it goes where other jacks don't and an optional 12-volt power supply allows you to use it practically anywhere. Sturdy lock bars, a remote pendant control and adjustable rubber contact pads make it the perfect lifting system. Available in 3,500-lb. / 5,000-lb. or 7,000-lb. capacity.

www.quickjack.com • 1-888-262-3880

*Free shipping availabe to most areas in the 48 contiguous states. © QuickJack USA 2016. QuickJack products are protected by one or more patents or patent pending applications in the United States, China, Europe, and other countries.







INTRODUCING THE ALL NEW 3D IMAGING WHEEL ALIGNER

ADVANCED IMAGING TECHNOLOGY THAT DELIVERS **FAST AND ACCURATE ALIGNMENTS**

The model 3DP4100 Target 3DPro[™] is an extremely accurate wheel alignment system thanks to advanced imaging technology that delivers fast, industry-standard alignments. It streamlines the entire alignment process delivering critical readings in less than two minutes. With minimal investment and reduced training, the Ranger Target 3DPro aligner expands your service potential and sends more profit to your bottom line.

Circle 115 on card. or enter at "e-inquiry" on VehicleServicePros.com

Call 1-800-253-2363 or Visit bendpak.com/3DAligner

*Free shipping on all Ranger Products to most areas in the 48 contiguous states. © 2016 Ranger Products • BendPak, Inc and Ranger Products are registered marks.





KNIPEX



Produces 1.050 Im

The Larson Explosion Proof LED Drop Light, No.EHL-LED-7W-GCR100, provides cooler operation and higher performance than standard incandescent drop lights, according to the company. The light is approved for Class 1 Division 1 and 2 locations. The handheld LED drop light features aluminum and steel construction, a molded rubber bumper guard, a 10-watt LED bulb and a general use cord reel equipped with 100' of cord. The LED bulb produces 1,050 lm and has a 50,000hour life rating. The housing features an aluminum lamp cage for added durability and an integral aluminum hook provides easy hanging for hands-free operation. The included reel is constructed of durable steel, has a powdercoated finish and includes a ball stop, a ratchet with a lockout feature and a four-roller guide arm. Circle 116 on card, or enter at "e-inquiry" on VehicleServicePros.com



Biodegradable waterborne vapor corrosion inhibitor

The Cortec EcoAir VpCI-337 Fogger is a biodegradable waterborne vapor corrosion inhibitor used to protect metal parts and internal void spaces with a thin, environmentally friendly self-healing film. Vapor phase Corrosion Inhibitors (VpCIs) in the fluid migrate and protect metal surfaces, resulting in time and cost savings and using a minimum amount of product. VpCI-337 is contained in an easy-to-use spray can powered by compressed air. Circle 117 on card, or enter at "e-inquiry" on VehicleServicePros.com

Features a contoured, wrap-around frame

Honeywell Uvex Acadia safety eyewear features a contoured, wrap-around frame, several premium comfort features and both a range of lens tints and Uvex anti-fog lens coating. Uvex Acadia can be used both indoors and outdoors. Acadia lenses

are available with Hardcoat lens coating or Uvextreme Plus anti-fog lens coating, for fogfree vision. Available in black or brown frames, Uvex Acadia is offered in eight lens tints: clear, gray, amber, SCT reflect 50, red mirror, blue mirror, espresso and orange mirror.

Circle 118 on card, or enter at "e-inquiry" on VehicleServicePros.com

AND GRIPS AND GRIPS

Shape doesn't matterthe KNIPEX COBRA® will grip any fastener shape tighter and stay locked on until you let it go!

- Grips round, square, flat and hex shapes
- Stays locked on the workpiece

GRIPS

- Available in 7 different sizes (5" to 22")
- Up to 4³/₄" capacity in the line

- Tools Designed With Your Hand in Mind

Water pump pliers for every application. The original push-button pliers with the thin head that fits easily into tight spots. German-engineered and precision manufactured. Pliers...it's all we do.

See a video of this tool: http://plie.rs/cobra-us

STOP BY FOR SOME GREAT TOOL GIVEAWAYS



©2016 KNIPEX

KNIPEX Quality – Made in Germany

Circle 119 on card, or enter at "e-inquiry" on VehicleServicePros.com

SEMA Booth #10144



<complex-block>

For information on Jump-N-Carry jump starters, visit www.jumpstarter.com.

Circle 121 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #847





Provides supply of clean DC power for vehicle programming The OTC 70-Amp Power Supply/Car Battery Charger, No. 700A, for flash reprogramming, is a device that connects to the vehicle's battery and outputs a designated supply of clean DC power. The 700A features a constant voltage output selectable from 13V to 14.8V DC, with variable charge rates of 4/20/70 amps. With fully automatic operation for 12V batteries, this tool works with regular automotive, deepcycle, AGM and gel cell battery types. The unit provides a digital volts and amps display and has a manual mode with digital timer. The 700A comes with an extra-long 9' power line cord with 20A plug, extended reach heavy gauge 9' output cables and heavy duty clamps with replaceable jaws. Circle 122 on card, or enter at "e-inquiry" on VehicleServicePros.com

Makes heat visible to reveal problems

The Snap-on Tools Diagnostic Thermal Imager, No. EETH300, uses infrared technology to make heat "visible" and reveal problems anywhere on a vehicle, such as brakes, heaters, A/C, engine performance, electrical and bearings. This technology includes detailed thermal imag-



es made up of 4,800 distinct temperature zones, an exclusive database of guided tests, automotive applications and reference images to help interpret results and automatic scaling to show the temperature of everything in the image. The thermal image reveals heat sources, shows extreme temperatures up to 840 degrees F and has the ability to save and store images.

what doesn't want to be started. Each time, every time.

Finite

A factory-level diagnostics scan tool for all service professionals who demand the **BEST!**

TOUCH SAVVY USER-INTERFACE

Giotto® features a new and improved user-interface, adding larger touch-based controls to speed up navigation. Includes advanced features such as:

- Automated vehicle selection process
- · Created complex formulas to create your own outputs

WIRELESS HARDWARE

Now you can have the speed of a cabled solution while operating wirelessly. With our WIFI wireless, we leap past traditional Bluetooth®-based devices in speed and range. What's more, we maintain the compact hardware our customers love.

COVERAGE, COVERAGE, COVERAGE

It's not just the breadth of coverage that's important-it's also the depth of coverage. With our enhanced expansions, you have access to ABS, airbag, enhanced powertrain, instrument cluster, transmission, and dozens of other body and chassis controllers.

COMPARE YOUR NEEDS TO OUR SOLUTIONS:

- 52 vehicle manufacturers spanning '96-'15
- Bi-directional controls and system tests
- Reset adaptations and calibrations
- Wireless WIFI hardware
- Remote technical support
- Automated software updates
- Annual update costs 50-450 USD

Factory-Level Ferrari / Maserati Available (Clutch Set / Read and Service Reset)

Circle 123 on card, or enter at "e-inquiry" on VehicleServicePros.com

480-827-TOOL (8665)

AAPEX Booth #1376



www.autoenginuity.com



Plus \$5.95 S&H - Delivered to your door Call 1-877-347-9407 and ask for the KROIL WORKS Deal, or go to www.kanolabs.com/pten



Circle 124 on card, or enter at "e-inquiry" on VehicleServicePros.com



Available for Windows and iOS platforms

The **AutoEnginuity Giotto Version 14.3** is available for Windows and iOS platforms. It allows users to read a vehicle's diagnostic trouble codes, live vehicle sensors and IM240 system test results to quickly determine what service the vehicle requires. AutoEnginuity offers manufacturer-specific options for BMW, Ford, GM, Chrysler, Toyota, Nissan, Hyundai, Kia, Land Rover, Jaguar, Honda, Subaru, Porsche, Mitsubishi, Isuzu, Audi/ VW and Mazda group vehicles. It also offers expanded Ferrari/



Maserati coverage to include several new models, adds dozens of new controllers and improved existing coverage. Version 14.3 has a focus on Audi/VW, BMW/MINI and Mercedes Benz coverage.

Circle 139 on card, or enter at "e-inquiry" on VehicleServicePros.com



Three-position joint

The **Snap-on Combination Slip Joint Pliers**, No. 47ACF, feature a three-position joint to allow for use on many applications and provide a wider spread. The pliers measure more than 8" in length and provide techs with a strong grip, allowing up to a 57 percent increase in pulling power over previous models, the company says. A long, contoured vinyl handle offers improved leverage and control.

Made of durable plastic

The **K Tool International Combination Wedge Tool**, No. KTI70038, is made of durable plastic and is 8.5" long by 1" wide and 1" thick. The combination wedge tool is designed for installing stereos, removing door cover clips, working on vehicle trim and dashboard work, This tool includes a one-year warranty.

Circle 126 on card, or enter at "e-inquiry" on VehicleServicePros.com

Handles up to 750 lbs of tools

The **OEM Automotive Tools Professional Series Tool Carts** feature injection molded corner bumpers to protect vehicles and other objects. Gas struts glide the lid open, and hold it securely in place. Raise and release latches prevent the drawers from opening while the tool cart is in motion. The tool cart has four large 5" by 2" swivel casters, with two locking casters and a side handle for easily loaded drawers. The drawers feature EVA liners to keep tools from sliding and marring. This tool cart can



handle up to 750 lbs of tools and has 9,660 cu. in. of storage space. The top five drawers are 2-7/8" deep and the bottom drawer is 4-7/8" deep. Available in true black (No. 24966), royal blue (No. 24967), orange (No. 24630), cherry red (No. 24968) and bright green (No 24969).

Circle 127 on card, or enter at "e-inquiry" on VehicleServicePros.com



EVEC MOVED

ENSU

1

JFACTURED

SIDE

.

TOV I.C DM

ISA

TO

QUALITY PROFESSIONAL SHOP EQUIPMENT

Circle 128 on card, or enter at "e-inquiry" on VehicleServicePros.com

Buy Factory Direct

DESIGN

AAPEX Booth #30018

GRAYUSA.COM



IESTED

IES







Load capacity of 1,000 lbs per caster

The SK Hand Tool 40" 6 Drawer Mobile Work Center, No. 56401, is part of the SK Tool Box line. With 4,657 sq. in. of space, the all-aluminum cart provides a load capacity of 1,000 lbs per caster and each drawer has a rating of 250 lbs with full extension ball bearing slide. It comes with premium non-slip drawer liners and measures 40" wide by 42.75" high by 24" deep.

Circle 129 on card, or enter at "e-inquiry" on VehicleServicePros.com

LINCOLN

Model 1262

12V Li-ion kit with

and carrying case

12V Li-ion kit with

and carrying case

two batteries, charger

Model 1264

one battery, charger

LINCOLN

Make quick work of lubrication tasks

Lincoln's 12-volt PowerLuber is designed to simplify and speed up the lubrication process. This versatile tool is suitable for a range of maintenance and industrial applications requiring a cordless lubricant delivery system.

12-volt PowerLuber advantages:

- Lithium-ion battery for maximum power and efficiency
- Ergonomic design is balanced, lighter-weight and comfortable to grip
- Three-point base keeps tool upright for easy handling
- Built-in LED light illuminates the work area
- Delivers grease at up to 8,000 psi (551 bar)
- Narrower tool fits in tight areas
- Provides effortless, uniform lubricant delivery
- Backed by a five-year warranty

Find out more at PowerLuber.com or call 800-435-9599

® SKF is a registered trademark of the SKF Group | © SKF Group 2016





Designed to handle most light duty pulling jobs

Presented by Chief, the Globaljig Quick Pull Scissor Lift Bench is designed to handle most sheet metal and other lightduty pulling jobs right in the bay – keeping the frame bench free for larger jobs. The mid-rise Quick Pull bench lifts a vehicle to a working height up to 4' 5". The compact Quick Pull has a lowered height of 4", so no access ramps are needed — simply drive over the bench, swing out the lift arms, raise the car and get to work. When the job requires a light duty or medium duty pull, the Quick Pull has a 5-ton pulling tower, complete with chain, foot pump, clamp and safety cable. The Globaljig Quick Pull bench has a 5,500-lb capacity and offers adjustable height sill clamps, articulating arms with adjustable rubber lift pads and extended-height rubber lift pads.

Circle 130 on card. or enter at "e-inquiry" on VehicleServicePros.com



Offered in both SAE and metric sizes

The Stark Professional Tool lines of interchangeable torque wrench heads are designed to complement the R2 Revolution head. The lines will consist of U-bottom open ends (including a thin design) along with square drive applications across all product lines. All tools are true one-piece designs, meaning no welds providing both quality and value to the customers. The product lines are offered in both SAE and metric sizes.

Circle 131 on card, or enter at "e-inquiry" on VehicleServicePros.com



AAPEX Booth #4619







Quickly remove corrosion

The Rex-Cut Abrasives Quick Change Disc Max is designed to quickly remove corrosion on aluminum and stainless steel, as well as rust on steel. It grinds, cleans and finishes in one action, according to the company. Engineered to provide a superior finish, aluminum oxide grain is embedded throughout the disc in layers of non-woven cotton. This construction also allows for a very consistent finish throughout life of the disc. These discs are made in the U.S.A and available in 2" and 3" diameter sizes. Grit and bond combinations are A24 Medium or A36, A54, A80 and A120 in either medium or flexible.

Circle 133 on card, or enter at "e-inquiry" on VehicleServicePros.com



Organize and protect small tools

Expanded Technologies dual density utility mats are designed to organize and protect small tools and parts. They are offered with a peel-and-stick backing for extra hold or non-slip backing to move them easily. Every mat is made with a durable, dual density non-slip material for a secure and gentle working environment on any size surface. A variety of stock sizes and styles are offered that are ideal for any work surface, including desks, workbenches and pushcarts. Custom sizes, colors and designs are available, and a company logo can be added.

Circle 134 on card, or enter at "e-inquirv" on VehicleServicePros.com

Accuracy within 2 percent

The NEBO Tools Tempra Laser-Guided IR Thermometer with spot light measures infrared waves radiating from the surface of any object. With an accuracy within 2 percent, the Tempra measures from -4 to 716 degrees F and has adjustable emissivity for various surface materials. The Tempra also features a powerful LED spotlight with adjustable zoom that lights up what's being measured.

Circle 135 on card, or enter at "e-inquiry" on VehicleServicePros.com

Improve ALEMITE productivity in the shop, field and factory Alemite 14.4-Volt, Lithium-Ion Grease Gun benefits: • Glass-fiberreinforced nylon housing provides superior impact and wear resistance • Loads easily, primes quickly Includes tube guide and charge indicator • 10,000 psi; 5.6 oz/min output • 3X the recharge life of Ni-Cd Lithium-Ion

• Proven design powers through heavy loads

www.alemite.com | 800-822-4579



Circle 136 on card, or enter at "e-inquiry" on VehicleServicePros.com

14.4-Volt.

Grease Gun

AAPEX Booth #4619



PREMIUM WORKSHOP EQUIPMENT

SAFER - SMARTER - STRONGER

Brake Testing Technology Suspension Testing Technology Lifting Technology Performance Measurement Technology Headlight Testing Technology Diagnostic Technology Service & Installation





Updated model, system and functionality capability

The **C.A.S of New England G-Scan 2 2016 Software Update** is now available to download for users that have a current subscription. The 70 pages of release notes cover updated model, system and functionality capability on Asian, European and domestic



vehicles. The G-Scan 2 features the integration of an optional five-channel digital scope plus J2534 programming, a 7" sun-readable LCD screen, screen capture, memo function, fast graphing and smart update. Options include the 'piggy back' oscilloscope, and complete adapter package, as well.

Circle 138 on card, or enter at "e-inquiry" on VehicleServicePros.com

Submersible and sealed against dust

Panasonic Toughpads, Nos. FZ-F1 and FZ-N1, are lightweight, rugged handheld tablets featuring a drop rating of 6'. The devices are fully sealed against dust and are submersible in up to 3.3' of water for 30 minutes, meeting IP65 and IP67 certification requirements. The 4.7" Android and Windows devices feature a quad-core Qualcomm Snapdragon processor and angled rear barcode reader for scanning items. Other features include a glove enabled, multi-touch, sunlight viewable display with a rain sensing mode that delivers accurate operation, even in inclement weather. A broad selection of accessories will be available for the Toughpad FZ-F1 and FZ-N1, including a vehicle dock, hand strap, single and multiple device cradles, multi-battery charger, passive and active stylus options and an extended life battery.



Circle 125 on card, or enter at "e-inquiry" on VehicleServicePros.com

Revolves 360 degrees

The **Shuter RFO Revolving Tower Hanging Bin**, No. RFO-690, can revolve 360 degrees. Offering 90 storage bins and a square-shaped, perforated plate on the side for hanging small tools, the storage device measures 449mm wide by 518.3mm deep by 1,280mm high. The RFO-690 is one of six models offered, which range in size and capacity.

Circle 140 on card, or enter at "e-inquiry" on VehicleServicePros.com

Recover conductive and explosive dust

The **Tiger-Vac SS-IT Dust Extraction/Vacuum Sanding Kit**, known also as the SS-IT (85L) EX SK HEPA Wet (Water) Mix, was designed for recovering conductive and explosive dust in a liquid immersion bath. The air-operated immersion separator is explosion-proof and dust ignition-proof, is constructed of stainless steel and features a heavy duty powdercoated cart. The kit, meant for use with water only, has less than 10 ohms of resistivity, is equipped with a coalescing filter element for moisture removal, a HEPA filter and a liquid level indicator. The detachable recover tank, which has a recovery capacity of 22 lbs of dust in 7.9 gallons of water, makes it easy to dispose of recovered material.

Circle 141 on card, or enter at "e-inquiry" on VehicleServicePros.com



Stroke length of 13/16"

The **Zipp Air Split Type Lockbolt Tool**, No. ZT2420HSN-3, provides access to hard-to-reach areas. It has a lightweight pistol head,

and its hydraulic section is made of forged and heat-treated aluminum alloy. The tool provides a stroke length of 13/16" (20mm). The 3/16" and 1/4" nosepieces are compatible with Huck and Avdel nose assemblies. It has a maximum capacity of 1/4" lockbolts and includes a utility pouch that can be worn on the shoulder or waist.

> Circle 142 on card, or enter at "e-inquiry" on VehicleServicePros.com

Add it to the radiator after removing antifreeze

Ceramic Motor Seal from **Irontite** is designed to permanently seal leaking head gaskets, cracked heads and blocks in aluminum or cast iron. It coats the engine and prevents the formation of rust and water corrosion, and it seals porous castings in the cooling system. Users add it to the radiator after removing antifreeze, and it stops coolant leaks and promotes heat dissipation for added engine power. Ceramic Seal is not compatible with antifreeze. All antifreeze must be removed before treating.



Circle 143 on card, or enter at "e-inquiry" on VehicleServicePros.com


Six different stainless steel tools

The **Bear & Son Cutlery Bear Jaws** line of multitools offers the following tools: the 2-1/2" Mini-Bear Jaws Multi-Tool, the 4" Bear Jaws Locking Electrician Multi-Tool with sheath, the 4" Bear Jaws Locking Multi-Tool with sheath, the 1/2" Super Bear Jaws Locking Multi-Tool with

sheath, the 4-1/2" Bear Jaws Gardener Multi-Tool with sheath and the 4-1/2" Bear Jaws Sportsman Bird Shears Multi-tool with sheath. Each of the six different stainless steel tools share similar attributes and some distinct differences for specific preferences. **Circle 144 on card, or enter at "e-inquiry" on VehicleServicePros.com**

Substitute for utility or pocket knives

The **Milwaukee Tool Safety Cutter**, No. 48-22-1916, is a quick and easy substitute for utility or pocket knives. Well-suited for opening cardboard and corrugate, tape, plastic and shrink wrap, the



handle provides up to five times longer life than other similar cutters on the market, according to the company. For added utility, the front of the tool is designed with a tape piercer, while the back is equipped with a lanyard hole.

Circle 145 on card, or enter at "e-inquiry" on VehicleServicePros.com

Rely on Reelcraft



SEMA Booth #50230

INNOVATIVE NEW PULLING TOOL

LT855 TEXAS TWISTER AIR HAMMER PULLING KIT

- Now you can convert your air hammer into a pneumatic slide hammer with the Texas Twister
- Simply snap the Texas Twister curved air bit into the collet of your hammer with one of the bits
- attached and reverse the air hammer handle in your hand now using thumb to push the hammer trigger. • Feel the 3000 air hammer blows per minute tuning into new pulling power
- One hand operation allows you to hold parts with your other hand
- Safe controlled part removal without parts and fluids crashing to the floor
- \bullet Utilize air hammer pulling power where slide hammers won't fit
- \bullet Extend the reach of the tool by using the 20 $^{\prime\prime}$ extension
- \bullet Use the double ended male $^{1\!\!/_2-20}$ connector bar to connect the Texas Twister to your current pullers
- TEXAS TWISTER safe, powerful, fast, simple effective air hammer bits you will use every day
- Comes packaged in a custom ballistic black nylon case



Circle 147 on card, or enter at "e-inquiry" on VehicleServicePros.com AAPEX Booth #1155

WASTING MONEY?







FLO-DYNAMICS has a better way!



The AirVac vacuums up most fluids from coolant to 90W gear oil.

Not recommended for highly flammable fluids such as gasoline.

iended ammable is

Flo-Dynamics, Inc. • 2600 Jeanwood Dr. • Elkhart, IN 46514 • 800-303-5874 • www.flodynamics.com

Circle 148 on card, or enter at "e-inquiry" on VehicleServicePros.com

New Products

Protects against oxidation

The **Caig Laboratories DeoxIT Grease**, No. L260-DNp PLUS, is manufactured in

semi-solid form for use as a combination cleaning, deoxidizing, protecting and lubricating preparation. It protects against oxidation (galvanic corrosion) and is free of mineral acids, sulphurs, alkalis and other noxious components aggressive to metals. According to the company, DeoxIT improves performance of electrical contacts and mechanical components that require precise lubrication. The



infusion of DeoxIT D-Series D100L into the formulation provides an additional film on the metal surface to dissolve corrosion, improve conductivity and provide a moveable/flexible protective barrier on the metal surface.

Circle 149 on card, or enter at "e-inquiry" on VehicleServicePros.com



High-volume low-speed fan

The Go Fan Yourself Z-Tech is a highvolume low -peed (HVLS) fan. The Z-Tech provides up to 40,000 sq. ft. of de-stratification coverage and up to a 10-degree evaporative cooling effect. The stepped blade design and 20-plus degree blade pitch maximize air flow, reduce frictional resistance and increase air displacement and thrust. Capable of true reversibility for both cooling and heating, the pitchedhub design eliminates airflow dead zone at the center of the fan, and the ABB controller, with removable pad, maintains the setting. A lifetime warranty is included on the blades, hub and mounting system while a 15-year warranty is offered for the motor, gearbox and controller.

Circle 150 on card, or enter at "e-inquiry" on VehicleServicePros.com

Visit us

at SEMA

Booth

#10553



Allows for interchangeable threaded bushings

The **ProMaxx Rocky D Model ProKit** helps users make repairs on the exhaust manifold. According to the company, it is the newest and fastest version of the Rocky exhaust manifold repair kit. It is also compatible with the Ford 4.6L, 5.4L, V8 and 6.8L V-10 and incorpo-

rates removable drill bushings. It allows for interchangeable threaded bushings to facilitate stepped drilling to larger drilling and corresponding extractors with higher torque capacities. Even if an extractor fails to release the stud, or fails itself, the technician can move to the company's large ProBushing and machine the stud completely out, leaving only the threads. It can follow with the ProChaser to clean the threads and complete the repair. It is also hard-coated for longer life and repeatable accuracy.

Circle 151 on card, or enter at "e-inquiry" on VehicleServicePros.com

Includes eight different pieces



The **Sonic Tools Screwdriver Set**, No. SFS 1/3, offers eight different pieces carefully designed within laser-cut and chemical-resistant foam. Each screwdriver is labeled on the foam. Contents include Phillips sizes 0, 1 and 2, plus slotted sizes 3mm, 4mm, 5.5mm, 6.5mm and 8mm.

Circle 152 on card, or enter at "e-inquiry" on VehicleServicePros.com

Being offered to commemorate the company's 50th anniversary

The E-Z Red Pocket Pen Light and Pocket Spot Light are being offered to commemorate the company's 50th anniversary. The Pocket Spot Light provides a super bright circle of light from a tough

and sleek aluminum case, providing 250 lm on high and 120 lm on low. A strong magnetic base and spring loaded pocket clip supply hands-free versatility. Includes three AAA batteries. The Pocket Pen Light



is slim, compact, and tough. Providing 100 lm and constructed of rugged aluminum, this light is water- and impact-resistant. Includes a durable steel clip for reliable pocket transport and two AAA batteries. **Circle 153 on card, or enter at "e-inquiry" on**

VehicleServicePros.com



Circle 154 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #964

Exhaust Manifold Repair

The new **Rocky "D" Model** exhaust manifold repair kit can handle the most challenging Ford 6.8L V10 engine.

Now with removable precision hardened bushings, the new *Rocky "D" Model Base and ProKit's* offer even a faster, easier, and hassle free repair. Simply select the appropriate size bushing for the hardest of repairs, or utilize the standard one included. Rocky "D" takes performance success to a higher level than ever before – faster!

- Now with Removable Bushings for Stepped Drilling or Extractor-less Repair
- Repair Time About 10 Minutes per Stud Versus 90 Minutes.
- Limited Lifetime Warranty
- Free Technical Support
- Thinnest Design Behind Shock/Spring Tower or Firewall
- Op to 70% Reduction in Repair Time
- Hard Coated for Longer Life
- Compatible with Ford 4.6L, 5.4L, & 6.8L Other kits available for GM, Dodge, Isuzu, Ford Diesel and Ford Diesel EGR

CALL OR CLICK 412-347-4041 www.ProMaxxTool.com

Circle 155 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #655





Easier charge monitoring

The **Bosch PS42 12V Max EC Brushless 1/4" Impact Driver** delivers a maximum torque rating of 975 in/lbs and weighs just under 2 lbs, while the **PS82**

12V Max EC Brushless 3/8" Impact Wrench offers a torque rating of 85 ft/lbs and weighs 2.2 lbs. The Bosch PS42 offers a no-load rpm rating of 0-1,200 rpm and a no-load bpm rating of 0-2,700 bpm. The Bosch PS82 offers a no-load rpm ratings of 0-2,600 rpm and a no-load bpm rating of 0-3,100

bpm. The tools' feature a compact head length of 5.4" for the impact driver and 5.5" for the impact wrench. The PS42 has an optimized impact system to deliver outstanding impact force, fits all standard hex drive bits and accommodates 85 percent of impact driver applications. The PS82 also offers an optimized impact system for efficient impact force and a square drive anvil. Both units include an LED light ring to illuminate the work area and dark locations, as well as a battery gauge indicator for easier charge monitoring.

Circle 157 on card, or enter at "e-inquiry" on VehicleServicePros.com

Super-bright 400 nm violet light LED

The **Tracerline VioMAX Plus,** No. TP-8650ACS, is a telescopic, true UV leak detection lamp engineered for finding A/C and fluid leaks in tight, cramped areas inaccessible to larger lamps. Its super-bright 400 nm violet light LED offers optimal



fluorescent response and contrast, and it works with both universal/ester and PAG A/C dyes, as well as most fluid dyes. It weighs 1.6 oz and measures just 9" in the closed position. It extends to 29" when open. Powered by three 1.5V batteries (which are included), the VioMAX Plus has an LED service life of 100,000 hours. **Circle 158 on card, or enter at "e-inquiry" on** VehicleServicePros.com

Bartec USA

part of the global Bartec Group of Companies

Bartec USA, has a reputation for delivering market first innovation to the automotive service industry. Bartec customers can service more vehicles and be more profitable doing it. Bartec has served the North American market since 2004, and manages Automotive Assembly Plants, OE Dealers and the entire Aftermarket. Our TPMS tool solutions range from simple activation tools to complex automated antenna systems.

Make more money servicing TPMS!

Bartec USA has the TPMS tool solutions to do just that! Bartec tools assist the preinspection step Test Before Touch whereby you can determine why the TPMS light or MIL is on before work begins. Eliminate the guesswork when you use our tools to retrieve TPMS fault codes [DTC's].

High Powered TPMS Service

The Tech400Pro is the industry's finest TPMS Diagnostic tool. While the "free



tool" manufacturers throw around the word "diagnostic," Bartec makes TPMS diagnostics a reality! The Tech400Pro can detect TPMS fault codes, interpret them, program

replacement sensors, walk you through completing the TPMS relearn, and when you're done, print an audit report.



But there's more!


It doesn't stop there by the way. With the Tech400Pro, you can adjust the TPMS placard level, check passive entry and keyless ignition systems, and



you can update the Tech400Pro via a wireless internet connection!



Circle 159 on card, or enter at "e-inquiry" on VehicleServicePros.com



A New Diagnostic Tool That's Less Complicated To Use And Makes Job Faster, ¡ Easier and More Efficient!





Power Probe BASIC will instantly diagnose the problem. It powers up components, tests wirings, switches, relays, diodes, fu<u>ses & more.</u>

- Activate Electrical Components
- Find Short and Open Circuits
- **Easily Determine Good & Bad Grounds**
- Reaches Bumper to Bumper
- Automatic Circuit Breaker Reset
- Apply & Hold Constant Power
- **Tests Positive & Negative Power Feeds**
- New Ergonomic Housing Design
- **4mm Banana Jack and Removable Tip**

AVAILABLE COMBO KIT FOR POWER PROBE BASIC



SEMA Booth #10521





Helps break beads on tires

The Wedgie from AME International is a tire bead wedge used to assist in breaking beads on a variety of tires. It allows for a bead breaker to fit between tire and wheel. The Wedgie's high-impact nylon material prevents metal on metal contact, preserving the wheel from marring. The Wedgie is sold separately and is also available in cases of 16. Suggested use is with an 8-lb soft blow hammer.

Circle 162 on card, or enter at "e-inquiry" on VehicleServicePros.com

Make the vehicle's engine cooling system perform better

Thoro-Flush Radiator and Engine Cleaner from Irontite is designed to

remove rust, grease and sludge to help make the vehicle's engine cooling system perform better. According to the company, regular application of Thoro-Flush to an automobile helps extend the life of the vehicle, reduces the possibility of a clogged heater core, and helps keep the cooling system fluid flowing throughout the vehicle's engine and radia-



tor. It works in 15 minutes, and it can be used on auto and heavy duty truck cooling systems.

Circle 164 on card, or enter at "e-inquiry" on VehicleServicePros.com

| - | | | | | | | | | | TRANS | | | | | |
|------------------------|--|----------|---------------|--|----------|---|------|-------------|----|---------|-------|---|--|--|--|
| | | | Fault History | | | | | | | * | | | | | |
| 100,000 | Contraction of the local division of the loc | a second | | | | | | | | | | | | | |
| | _ | 122 | - | unner. | - | NUMBER | bene | 100 | | | | | | | |
| | | | 1023 | Sec. 1 | <u> </u> | Surveyor of the local division of | 200 | Colores and | 8 | | | | | | |
| and appropriate little | | 1000 | 11723 | 1411 | - | dented for her protect | | - | - | | - | - | | | |
| - | - | | 1000 | and a | - | Tage of the second | - | - | - | | - | - | | | |
| - | | | | the second | - | Statute Apr. Integration Income in Property Specific Control of Co | - | - | 3 | | - | - | | | |
| and the state of the | | | 100 | Street Street | - | Name of Street and Advanced in the Owner of Street and | - | - | 12 | | - | - | | | |
| And in case of | | | 12.01 | Married Control of | - | Name And Address of Concession, Name of Street | - | - | 12 | test li | - | - | | | |
| - | | | 100 | Married Street, or | - | tenan berlinariat bit | - | - | 14 | | - | - | | | |
| - | | | 100 | And a strength of | - | terms have not | - | - | R | | - | | | | |
| | - | | 1.0 | Adventure of the local division of the local | - | | - | - | 24 | | - | - | | | |
| - | | | 1000 | And in case | - | Statement Street of | - | - | - | | - | - | | | |
| | - | | • | - | - | Interdistant Party States | - | - | | | 1.000 | - | | | |
| | | | | | - | Annual of Concession, or No. 101. | - | - | | | | | | | |
| | - | | | - | - | Internation International Processor | | | | | | | | | |
| Column 1 | | | • | - | - | Name and Address of Street of Street | - | - | | | | | | | |
| | and the second s | | 100 | ingenieren . | - | Alternative Property | - | - | - | | | | | | |
| | TRATIGON | - | 100 | Street Street | - | | - | - | + | | | | | | |
| | | | 100 | (mark lines) | - | | - | - | 14 | | | | | | |

Covers all heavy duty vehicle makes, models and components

TripVision, from **Noregon Systems**, is available through major telematics providers and provides a detailed, real-time view into every vehicle in the entire fleet through any internet connected device. Fleet dispatchers are presented with actionable fault information and aggregated health/safety scores and recommendations to easily determine vehicle readiness. All pertinent information is organized in an easy-to-consume format and customizable fault management options can be set to meet the exact needs of any fleet. TripVision covers all heavy duty vehicle makes, models and components.

Circle 163 on card, or enter at "e-inquiry" on VehicleServicePros.com

Built of sturdy, high-quality plastic

The **Shurhold Industries One Bucket System** is a 5-gal rope handle bucket that features a soft, 3/4" braided, nylon rope handle for easy lifting and comfortable

carrying. Elevated off the bottom of the pail is the removable bucket grate. Dirt and debris fall through the grate, so the wash tool is always in clean water. Brushes can be scrubbed against it to remove grime. It also has two built-in 3-oz

measuring cups for accurate proportioning of cleaning products. Built of sturdy, high-quality plastic, the bucket seat/lid snaps onto the bucket rim and keeps both the system and supplies secure. Made in the U.S.A.

Circle 165 on card, or enter at "e-inquiry" on VehicleServicePros.com





Featuring a translucent polyurethane outer jacket

Water Cannon Monster Pressure Washer hoses are made with a dual-braided construction of steel over polyester and jacketed with translucent polyurethane for high strength, durability and kink resistance. They are equipped with quick-connect fittings for quick and easy setup. The translucent polyurethane outer jacket is nonmarking, abrasion resistant, wipes clean with one pass and is designed to fit most gas pressure washers with standard quick connections. Users can choose between 4,500 psi-rated standard size 50' assemblies or, for jobs that require longer reach, 100', 150' and 200' versions are available. Circle 166 on card, or enter at "e-inquiry" on VehicleServicePros.com

Services cars, pickup trucks and vans

The Forward Lift I12PRO two-post lift is designed for servicing cars, pickup trucks and vans. It offers a capacity of 12,000 lbs, and it has three-stage arms equipped with lowprofile 4.75" rubber-pad swivel adapters. Combined with the standard adapter extensions (1.75", 3.5 "and 5"), the arms can reach the recommended pickup points of most cars, light trucks and vans. The lift can be installed at

one of two width options and is available in four heights. It has been third-party tested and certified by the Automotive Lift Institute (ALI) to meet industry safety and performance standards. The power unit on the I12PRO provides double the torque of other two-post lifts, and operates at a lower rpm to provide longer life.

Circle 167 on card, or enter at "e-inquiry" on VehicleServicePros.com

PUT YOUR PLIERS IN THEIR PLACE



AAPEX Booth #1666 SEMA Booth #50139

IT'S NOT TOO LATE... ENTER TO WIN NOW!

We're giving away more than \$40,000 worth of prizes.



VT56 Diagnostic Kit Prize value: \$1,650 VehicleServicePros.com/12246217



Assist Solution Package Prize value: \$15,040 VehicleServicePros.com/12248625



8-Drawe Bench Top Tool Box Prize value: \$1,725 VehicleServicePros.com/12230660



8 – pc Air Tool Prize Package Prize value: \$1,800 VehicleServicePros.com/12245624



13-Item Flashlight Prize Package Prize value: \$1,200 VehicleServicePros.com/12239611





X-431 Pro Prize value: \$1 895 VehicleServicePros.com/12248867



41" 10-Drawer Contour Chest and Cabinet Combo Prize value: \$999.98 VehicleServicePros.com/12246209



Tool Storage Package Prize value: \$3,199 VehicleServicePros.com/12246783



16-pc Tool Set Prize value: \$1.200 VehicleServicePros.com/12239628



Specialty Tool Prize Package Prize value: \$704 VehicleServicePros.com/12245579



Tool Package Prize value: \$7,018.63 VehicleServicePros.com/12246772



CTC Tool Prize Package Prize value: \$1,960 VehicleServicePros.com/12249952



Rocky Pro Kit Prize value: \$595 VehicleServicePros.com/12223999



Impact Tool Prize Package Prize value: \$677 VehicleServicePros.com/12245596



Professional Lighting Package Prize value: \$579 VehicleServicePros.com/12249967

To enter go to: VehicleServicePros.com/GPG

Brought to you by:

2016











Angled to access tight spaces

The Lisle 30 Degree and 80 Degree Push Pin Pliers, Nos. 42420 and 42430, assist in removing plastic push-pin style panel fasteners with center pins. The plier tips are angled so they can be used in tight spaces such as wheel wells. The pliers are designed to prevent damage to the pin or anchor.

Circle 171 on card, or enter at "e-inquiry" on VehicleServicePros.com



Heaviest 16 gauge brake

The **Woodward-Fab Boss 16** is a a 1/16" thickness capacity box and pan brake in a 4' length. The Boss 16 is the heaviest 16 gauge brake available, according to the company, with extra heavy frame and thick fingers that make it ideal for both automotive and industrial use.

Circle 172 on card, or enter at "e-inquiry" on VehicleServicePros.com



Set up and disassemble quickly The ShopSol


Folding Heavy Duty Plastic Bins, Nos.

1010267 and 1010268, set up and disassemble in seconds. Useful for many applications, these black baskets can be stored and used around the shop and other areas. The 1010267 model measures 17.9" wide by 12.1" deep by 9.4" high while the 1010268 21.5" wide by 14.7" deep by 24.4" high.

Circle 173 on card, or enter at "e-inquiry" on VehicleServicePros.com

With a built-in scrubbing pad

The **Dura-Block Dura-Scrub soap** is a professional soap that offers a built-in scrubbing pad. According to the company, Dura-Scrub Soap scrubs, lathers and exfoliates in one easy process, as well as cleans 10 times more effectively than standard bars of soap.



Circle 174 on card, or enter at "e-inquiry" on VehicleServicePros.com

Multiple charge rates from 15A to 100A

The **SOLAR PRO-LOGIX 100 Amp Fleet Wheel Charger**, No. PL5100, from **Clore Automotive**, is a heavy duty 12/24V charger that features multiple charge rates from 15A to 100A to deliver a precise charging routine to vehicles from passenger vehicles to over-the-road trucks with an eightbattery configuration. It also features 425 amp engine starting assistance for vehicles with a low battery. Approved for all-weather use, the PL5100 features the ability to properly charge a wide variety of lead acid battery types, including conventional, AGM, spiral wound, start-stop, deep cycle and marine batteries. The PL5100 adapts its approach based on the needs of each battery or battery pack it services. It also incorporates safety features like over-voltage protection, reverse polarity protection, smart clamp technology and battery fault detection.



Circle 175 on card, or enter at "e-inquiry" on VehicleServicePros.com



Circle 176 on card, or enter at "e-inquiry" on VehicleServicePros.com

PTEN Innovation Awards PEOPLE'S CHOICE 2016

or the third year in a row, we have allowed all of our readers to weigh in on the *PTEN* Innovation Awards. Named the 2016 *PTEN* People's Choice, the following pages feature the top 26 products selected by our readers, per product category, that were originally nominated for the 2016 *PTEN* Innovation Awards.

PTEN magazine will be hosting an official awards ceremony to honor *PTEN* Innovation Awards winners and the *PTEN* People's Choice winners during the AAPEX Show on Tuesday, Nov. 1.

Chicago Pneumatic Tool Co. 1/2" Angle Impact Wrench, No. CP7737

The Chicago Pneumatic 1/2" Angle Impact Wrench, No. CP7737, has a direct-drive clutch and jumbo hammer that can provide 220 ft/lbs of max torque. At only 3.46" wide and 9.8" long, it offers extendedreach capability in confined and hard-to-reach spaces. This impact features an ergonomic handle, full teasing trigger and easy forward/reverse control, and it weighs just 2.5 lbs. The tool is also available with a 3/8" drive (No. CP7727) that provides a maximum torque of 185 ft/lbs.

CATEGORY: Air Tools

Enter 177 at "e-inquiry" on VehicleServicePros.com

Chief Automotive Technologies

Self-Piercing Rivet Gun, No. PNP90 The **Chief Automotive Technologies Self-Piercing Rivet Gun**, No. PNP90, uses a pneumatic-hydraulic design to drive rivets for all common auto body applications, including bonding aluminum and steel

body panels. The lightweight riveting gun's hydraulic pressure intensifier converts air pressure of 87 psi from a standard air compressor to 8,702 psi hydraulic pressure at the rivet gun tip. Its self-piercing capabilities save technicians from having to drill holes for every rivet.

Quick-connect couplings provide a connection to the rivet gun actuator or optional blind rivet actuator. The optional blind rivet actuator enables the gun to apply blind rivets. The PNP90 comes with a rivet clamp and interchangeable attachments for setting and extracting rivets. All components fit in an included carrying case.

CATEGORY: Body Shop

Enter 178 at "e-inquiry" on VehicleServicePros.com

Bartec USA, LLC Tech400Pro

The **Bartec Tech400Pro** TPMS scan tool provides coverage for vehicle relearns and aftermarket sensor programming. The Tech400Pro can program TPMS placard values, allowing technicians to safely and accurately adjust the recommended inflation pressure necessary when plus sizing and up-fitting wheels and tires. The software for the Tech400Pro is updated wirelessly using Wi-Fi and the Bartec cloud-based TPMS database. Other features include wireless inductive charging and passive entry/keyless start key fob testing. The Tech400Pro offers more OBD-II functionality for TPMS, including diagnostic trouble code (DTC) reading. When the job's done, the all the necessary vehicle data can be downloaded from the tool.

CATEGORY: Tire, Wheel Service Enter 179 at "e-inquiry" on VehicleServicePros.com

Rotary Lift

Extended-Height Two-Post Lift, No. SP012 EH3 The Rotary Lift Extended-Height Two-Post Lift, No. SP012 EH3, has an overall height of more than 16', helping technicians efficiently service even the tallest high-roof cargo vans such as the Ford Transit, Ram ProMaster City, Nissan NV and Mercedes-Benz Sprinter. It features a symmetric design that keeps the van's center of gravity directly between the columns for maximum stability, an ideal setup for lifting work trucks and vans weighing up to 12,000 lbs. When equipped with Rotary Lift's patent-pending Shockwave technology, it offers a rise and descent faster than previous offerings.



CATEGORY: Lifts, Jacks and Stands

Enter 180 at "e-inquiry" on VehicleServicePros.com



Innovative Products of America

Relay Bypass Master Kit with Amp Loop, No. 9038A



The Innovative Products of America Relay Bypass Master Kit with Amp Loop, No. 9038A, makes DC motor activation and current monitoring easier than ever before, according to the company. The tool simplifies fuel injection testing and allows all 12V DC motors to be run with the push of a switch. By attaching an amp clamp or lab scope, technicians

can monitor the current or amperage readings to judge the health of the DC electric motor to identify if a motor is drawing more current than specified, or if the current load is inconsistent during operation. This set includes six spade relays compatible with most foreign and domestic applications.

> CATEGORY: Electrical Systems Enter 181 at "e-inquiry" on VehicleServicePros.com

Tech-Life Inc. The Grid

The Grid by Tech-Life is the first allin-one power solution for the modern technician's workspace, according to the company. This surge-protecting power station is designed with a flat top so that the technician can plug in and store up to four chargers from their cordless tools on top of the unit, leaving five outlets free for any on-demand power needs. With the storage space on top, it takes up no more room on the toolbox than the chargers themselves, and helps eliminate the endless struggle to find power outlets that most technicians face every day. With nine power outlets, four 2.1A USB charge ports, surge protection, a 10' power cable and a three-zone power selector system, this power station aims to deliver all of the power a modern technician requires directly to the workspace.

CATEGORY: Tool Storage

Enter 182 at "e-inquiry" on VehicleServicePros.com

KNIPEX Tools LP

Hose Clamp Pliers for click clamps, No. 85 51 250 C The **KNIPEX Hose Clamp Pliers for click clamps**, No. 85 51 250 C, opens and closes click clamps quickly and effectively. The tool will not harm the clamps they're compressing, allowing them to be reused multiple times. The swivel tips allow access from multiple angles, and the push button adjustment helps users find the right adjustment position.

CATEGORY: Hand Tools Enter 183 at "e-inquiry" on VehicleServicePros.com

Mayhew Tools

Pro Ratcheting Hose Clamp Pliers, No. 28680 The **Mayhew Tools Pro Ratcheting Hose Clamp Pliers**, No. 28680, feature a reinforced, flexible 5/64" cable; a pivoting jaw design to fit all hose clamps up to 2"; specialty bi-material hand grips with a snap feature for compact storage; and a ratchet lock with slide guide. Mayhew's pliers allow users to change the cable quickly, and the tool works on a wide range of hose clamps. If necessary, cable replacement is made easy. Replacement cables are available separately.

CATEGORY: Specialty Tools

Enter 184 at "e-inquiry" on VehicleServicePros.com

Pico Technology

PicoDiagnostic NVH Kit The NVH Kit from Pico Technology works with PicoScopes to quickly identify the source of noise and vibration concerns. Sophisticated software quickly pinpoints the source of the problem and the kit can be enhanced with accessories to also allow on-vehicle driveline balancing, according to the company.

pico

NVH Diagnostics Kit

CATEGORY: Inspection Tools, Lab Scopes

Enter 185 at "e-inquiry" on VehicleServicePros.com

Snap-on Tools

MIG Welder, No. MIG160i The **Snap-on MIG Welder**, No. MIG160i, offers quick changeover times to weld various material types including steel, stainless steel, aluminum and MIG brazing of high-strength steels. The machine features a library of pre-programmed

settings to coincide with each material type, providing users with optimal parameters for fast setup times. The easy-to-read LCD screen displays material types and welding parameters such as current, voltage, panel thickness, wire speed and wire diameter. A single dual-function knob selects material type and panel thickness, simplifying the setup process. Built-in compensation for condition changes on-the-fly automatically adjust amperage and wire speed. *CATEGORY: Welding*





Snap-on Diagnostics VERUS Edge, No. EEMS330 The Snap-on VERUS Edge,

No. EEMS330, has a fully-integrated software suite, comprising diagnostics, component tests, expert information resources, a complete repair information system and vehicle data manager. Exclusive resources include SureTrack Real Fixes and verified parts replacement records, Fast-Track Troubleshooter and Guided Component Tests, along with direct access to OEM recalls, campaigns and TSBs. The built-in solid state drive, Internet browser and Wi-Fi facilitate open information access from anywhere in the bay. The thin, lightweight tablet-style device -complete with a touchscreen—boots up in a minute and from 'ready mode' in only five seconds. With up to five hours of battery life, it provides techs with OEM-specific coverage for more than 40 domestic, Asian and European makes and dozens of vehicle systems.

CATEGORY: Scan Tools

Enter 186 at "e-inquiry" on VehicleServicePros.com

Milwaukee Tool

M18 FUEL 3/8" Compact Impact Wrench with Friction Ring, No. 2754-22

The Milwaukee Tool M18 FUEL 3/8" Compact Impact Wrench with Friction Ring, No. 2754-22, features the company's Powerstate brushless motor with higher grade magnets than previous models. The tool's RedLink Plus Intelligence has been upgraded with better heat management capabilities. The tool offers a four-mode Drive Control that includes an auto shut-off function to stop the tool after it senses one second of impacting, which prevents over-driving fasteners and damaging materials. The 5.9", 4-lb impact offers 210 ft/lbs of torque and up to 2,500 rpm. The tool is available as a kit with two high capacity RedLithium XC5.0 2.0 compact battery packs (No. 2754-22CT)

and as a bare tool (No. 2754-20).

CATEGORY: Power Tools

Enter 187 at "e-inquiry" on VehicleServicePros.com



Phoenix Systems

DOT 3/4 Anti-Rust Brake Fluid Treatment The Phoenix Systems DOT 3/4 Anti-Rust Brake Fluid Treatment is an additive used to reduce premature brake part failure and increase the boiling point of brake fluid. Technicians can add 1 oz of brake fluid treatment to the master cylinder, and within four weeks, the inhibitors will re-coat the brake system from the inside out, neutralize acidity and increase the boiling point.

CATEGORY: Chemicals

Enter 188 at "e-inquiry" on VehicleServicePros.com

General Technologies Corp.

Ignition System Analyzer, No. GTC505 The General Technologies Ignition System Analyzer, No. GTC505, is compatible with all common types of spark ignition systems. The GTC505 can display waveforms in real time, compare readings between cylinders and detect and display dwell angle and primary current ramp time. Additionally, the device can chart burn time, spark plug voltage, dwell/ramp time and rpm for each spark, allowing for the detection of misfires. It displays all this data on its 3.5" color TFT LCD screen. Its rechargeable Li-ion battery provides six hours of continuous use, and it passed the MIL-STD-810 drop test.

CATEGORY: Engine Service and Repair

Enter 189 at "e-inquiry" on VehicleServicePros.com

Lock Technology

Brake Re-threading Kit, No. LT993 The Lock Technology Brake Re-threading Kit, No. LT993, offers male/female combo sockets with a compact design. The kit allows the user to re-thread damaged ABS control module fittings; rethread damaged brake wheel cylinders; re-thread damaged brake master cylinder fittings; and rethread damaged brake line fittings. According to the company, these tools can perform work where standard tap and dies will not fit. The kit offers most common sizes in SAE and metric, including

3/8"-24, 7/16"-24, 1/2"-20; 5/8"-18, 10mm-1.0 and 12mm-1.0. CATEGORY: Brake Service

Enter 190 at "e-inquiry" on VehicleServicePros.com

Snap-on Tools

Wireless Battery System Tester, No. EECS550 The Snap-on Wireless Battery System Tester, No. EECS550, allows techs freedom to maneuver around a vehicle with the main module communicating via Bluetooth to the monitoring unit connected directly to the vehicle battery. This capability eliminates the need

for a second tech to perform on-screen commands, ensuring greater productivity and shop efficiency. The menu and test results display on an easy-toread, back-lit screen in eight languages. Engineered with patented conductance technology, the EECS550 detects discharged batteries down to 1V and tests 6, 8, 12 and 24V systems. This unit provides reverse polarity protection, and has an included printer. Unit weighs 3 lbs.

CATEGORY: Battery Service Equipment





Electronic Specialties, Inc.

Hands On-Line Electrical Training Cards, No. 186 The **Electronic Specialties Hands On-Line Electrical Training Cards**, No. 186, offer technicians a way to learn electrical trouble-



shooting through a hands-on training system where users can apply, solder and install all the parts onto the training cards. Each card becomes a working circuit that users build. The 16 training cards cover topics such as basic circuit construction, measuring resistance in parallel, series circuits, relays, diodes, starting system, brakes and

turn signals, and more. These cards

can be used to supplement existing electrical training or as a way to increase troubleshooting proficiency. Dan Sullivan takes users step-by-step through the first 10 cards via YouTube videos. There are more than six hours of video training that applies to automotive, heavy duty, equipment and more.

> CATEGORY: Education and Training Enter 191 at "e-inquiry" on VehicleServicePros.com

Phoenix Systems

Coolant + Brake Fluid Test Strip The Phoenix Systems Coolant + Brake Fluid Test Strip is a double-ended test strip that can diagnose both coolant and brake fluid quality at the same time. Coolant + Brake Fluid combines the company's BrakeStrip and

CoolantStrip. BrakeStrip



provides a visual reference for brake fluid copper corrosion levels. It is recommended for use with all DOT 3, 4 and 5.1 brake fluid and follows MAP guidelines. CoolantStrip follows MAP, ASL and ASTM guidelines for coolant specifications. It also uses an integrated Glycol color metric scale, making it compatible for use with all coolant colors. It provides a visual recommendation for when it is time to correct or replace coolant. Coolant + Brake Fluid come 100 doubleended strips to a bottle.

CATEGORY: Diagnostic Test Equipment

Enter 192 at "e-inquiry" on VehicleServicePros.com





SAFETY

Protect your workforce by cooling work environments with Portacool evaporative coolers. You can count on us to keep your workplace safer, cooler and more productive.

PRODUCTIVITY

When workplace temperatures rise, the body can't regulate heat as well. Portacool evaporative coolers can help keep working environments cool, workers more hydrated and businesses running productively.

DISCOVER WHICH EVAPORATIVE COOLER IS RIGHT FOR YOU VISIT WWW.PORTACOOL.COM



Circle 194 on card, or enter at "e-inquiry" on VehicleServicePros.com

WE'RE ALWAYS ON. VEHICLESERVICEPROS.COM

TOOLS · EQUIPMENT · VIDEOS · TECH TIPS · TECHNOLOGY · AND MUCH MORE ENHANCE YOUR EXPERIENCE BY REGISTERING AT VEHICLESERVICEPROS.COM/REGISTER

SEMA Booth #10209



Snap-on Tools

Multi-Functional Thermometer, No. TEMP100 The **Snap-on Multi-Functional Thermometer**, No. TEMP100, measures temperatures from -58 degrees F to 400 degrees F and features a magnetic tipped protective sleeve that doubles as a pickup tool. The built-in magnetic pocket clip keeps the TEMP100 handy and offers the ability to mount to ferrous surfaces. The easy-to-read LCD screen displays both Fahrenheit and Celsius and has a "data hold" feature to maintain information. The narrow tip shaft provides faster, more accurate readings than thicker shaft units, according to the company, to verify HVAC system temps and check airflow vent temps.

CATEGORY: Air Conditioning Service

Portacool

Jetstream 270

The Portacool Jetstream 270 provides intense cooling power with



airflow that can be felt up to 100 yards away. With built-in handles and heavy duty casters, the mobile Jetstream 270 can cool large garages and shops, plus it is equipped with the company's KUUL Comfort evaporative media. The device cools up to 5,625 sq. ft., delivering air at 22,500 cfm and at a velocity of 26 mph. The liquid-level indicator has an automatic pump shut-off, and the large drain allows for easy,

effective cleaning. The 90" high by 79" wide

by 41" deep unit has a 65-gal reservoir, is made in the U.S.A. and comes with the Portacool Protect lifetime warranty on evaporative cooler hosing against manufacturing defects as well as a three-year warranty on all electrical components.

CATEGORY: Shop Equipment

Enter 195 at "e-inquiry" on VehicleServicePros.com

OTC

Hendrickson Suspension Bushing Tool, No. 4246 The **OTC Hendrickson Suspension Bushing Tool**, No. 4246, is designed for rear suspension work on heavy duty vehicles, assisting with pivot and D-pin bushing removal and installation. Because the patented design allows the tool to be mounted to the suspension piece, the weight of the tool does not need to be held in place dur-

> ing operation. It also includes centering adapters that align the tool and reduce the likelihood of bushing damage or improper installation. The included OTC 25-ton cylinder (No. 4106A) helps replace bushings, even if they covered in road dirt and salt.

CATEGORY: Suspension

Enter 196 at "e-inquiry" on VehicleServicePros.com

SKF/Lincoln Lubrication Systems

Low-Capacity Drains

The **SKF Lincoln Low-Capacity Drains** collect used fluids from lift-mounted vehicles. Available in 8-gal and 18-gal models, these drains are designed for stability and efficiency. The drains adjust to the proper height using an adjustment clamp, and both models have an integrated oil filter drain shelf to eliminate the need for a secondary surface to drain the filter or to set tools. These drains have a durable polyethylene reservoir that prevents damage to vehicles and a splashguard to catch overspray. Casters enable movement and have over-molded steel inserts for long life. Besides a drain spigot, the 18-gal model features a bung port that can be used with a diaphragm pump system, while the 8-gal model has a drain cap.

CATEGORY: Fluid Exchange Enter 197 at "e-inquiry" on VehicleServicePros.com

Lisle Corporation

Multi-Application Oil Funnel, No. 19342 The Lisle Multi-Application Oil Funnel, No. 19342, helps eliminate oil spills when refilling crankcases, especially those with baffle valve covers. The 1.6-qt, translucent funnel comes with seven different color-coded adapters and a 45-degree elbow to work on many applications and save storage space. The spout should be used as a standard funnel only. The adapters fit crankcases securely, and the tethered lid and cap keep the funnel clean.

CATEGORY: Oil and Lube Enter 198 at "e-inquiry" on VehicleServicePros.com

Redline Detection LLC

Dual Purpose Diagnostic Leak Locator, No. 95-0130 The **Redline Detection Dual Purpose Diagnostic Leak Locator**, No. 95-0130, can diagnose all leaks, including low pressure for traditional vehicle EVAP/general repair and variable high pressure

for turbo, diesel and heavy duty testing. The compact, durable machine offers variable pressure and variable flow, allowing the technician to adjust as needed to find even minuscule leaks in every type of vehicle. The all-in-one unit tests a complete fuel vapor recovery system, complete exhaust system, complete intake



system, turbo and turbo housings, charge air coolers, all boosted engines, diesel particulate filter systems and diesel emission systems — without dyes or contaminants. The tool kit, with multiple adapters and accessories, comes in a durable case.

CATEGORY: Leak Detection

Enter 199 at "e-inquiry" on VehicleServicePros.com



Rotary Lift | Mitchell 1

Tech Light Line Light 4, No. FA5700

The **Rotary Tech Light Line Light 4**, No. FA5700, an LED runway light kit for heavy duty vehicles, helps eliminate bulky access obstructions to vehicle components when lifts are raised. The Line



Light 4 kit includes four long LED light wands that unobtrusively attach to the lift itself, freeing up the technician's hands. The Line Light 4 kit uses more than 600 LEDs — the equivalent of about four 75-watt incandescent bulbs — producing more

than 4,000 total lumens while remaining cool to the touch. The kit's four LED wands range from 50.5" to 56" long and can be connected in series to enable all lights to be controlled by a single switch.

CATEGORY: Lighting

Enter 200 at "e-inquiry" on VehicleServicePros.com

Manager SE – Scheduler The Mitchell 1 Manager SE Scheduler tool allows auto repair shops to visually manage their workload and improve workflow by maximizing available resources, including technicians,


bays and specialty equipment. Now shops have




the ability to see and control all aspects of their scheduling process with a searchable, sortable and configurable calendar system. Color coding and drag-and-drop functionality make it quick and easy to set customer appointments, schedule equipment and manage the overall calendar. With a few clicks, shops can create orders directly from the calendar, add a canned job to an appointment, schedule non-customer shop events and more.

CATEGORY: Computers and Software

Enter 201 at "e-inquiry" on VehicleServicePros.com



Circle 202 on card, or enter at "e-inquiry" on VehicleServicePros.com



Circle 203 on card, or enter at "e-inquiry" on VehicleServicePros.com
AAPEX Booth #952



2016 **PRODUCT PREVIEW**

s we prepare for **AAPEX and SEMA 2016**, we have got a sneak peek of some products that will be on-hand at these shows. Check out some of the products that will be on display this year.

Improve cycle times and provide more accurate repairs

The asTech remote diagnostic device, from **Collision Diagnostic**

STech

SEMA Booth No. 16015

Services, is designed to help repair shops improve cycle times, provide more accurate repairs, and improve customer satisfaction by allowing users to see what can't be seen with the naked eye. The repair technician connects the asTech device to the battery supported vehicle, which communicates via the internet to the OEM factory scan tool, operated by a master technician. The master technician completes the diagnostic scan and sends a full report directly to the shop.

Circle 204 on card, or enter at "e-inquiry" on VehicleServicePros.com

Eliminates the need for permanent install

The Master Magnetics Magnetic Paper Towel Holder offers an adjustable magnetic fixture to keep paper towel rolls, cleaning wipes, sterile glove boxes and other items neatly stored and accessible. This device

eliminates the need to permanently install fixtures or use screws and anchors. Instead, the Magnetic Paper Towel Holder can

Booth No. be repositioned on any flat, ferrous metal surface. With sturdy, black metal housing,

the non-scratch liner on each magnetic base prevents scratching or marring of metal surfaces. The 2.625" diameter by 4.625" longer holder offers an adjustable depth knob from 1" to 3" and a 6" roll diameter capacity.

AAPEX

1664

Circle 205 on card, or enter at "e-inquiry" on VehicleServicePros.com



360-degree rotating magnetic light

The Ullman Devices 360-degree **Rotating Magnetic Rechargeable Work** Light, No. RT-750LT, features a 10W CREE XPL LED and provides 750 lm. A strong magnetic base attaches to ferrous metal areas and the rotating head to easily position the light beam to the needed angle. The light features a 3.6V 200mAh Samsung Li-ion rechargeable battery and comes with a USB / wall charger.

Circle 206 on card, or enter at "e-inquiry" on VehicleServicePros.com

Heats metallic objects without an open flame

The Bolt Buster Heat Induction Tool. No. BB2X, eliminates the hazards of working with a torch. According to the company, the BB2X has 1,800 watts of power to speed up the heating process and can get a 3/4" nut red hot in seconds. The Bolt Buster heats up anything metallic, without an open flame. Torchless heat induction is a time-saving alternative for



removing side moldings, seized or thread locked bolts, nuts, bearings, frozen calipers and more. The BB2X comes with a complete coil kit and full warranty. It is made in the U.S.A.

Circle 207 on card, or enter at "e-inquiry" on VehicleServicePros.com



2016 PRODUCT PREVIEW



Provides airflow SEMA Booth No. for hot working 10209 environments

The Portacool Jetstream series of portable evaporative coolers feature designs engineered to generate airflow and provide cooling options for a variety of hot working environments. The Portacool Jetstream 240, 250, 260 and 270 are equipped with KUUL Comfort evaporative media, to provide maximum cooling comfort. Available in four sizes, there is a Jetstream portable evaporative cooler option to cool the garage and shop areas ranging from 1,125 to 5,625 sq. ft. These coolers include features such as the liquid level indicator with automatic pump shutoff, a large drain that allows for easy and effective cleaning, built-in handles and casters for easy mobility. These coolers come with a lifetime warranty on evaporative cooler housing against manufacturing defects, and three-year warranty on all electrical components. Made in the U.S.A. Circle 208 on card, or enter at "e-inquiry" on VehicleServicePros.com

Completely remove burnt in corrosion

The Mueller Kueps Inner Rim Cleaner, No. 433 507, prevents corrosion related distortion of wheel bolt tightening torque and allows the user to completely remove burnt in corrosion. Designed to clean the inner wheel contact surface, it should be used only on the inside of an aluminum rim, particularly the inner area prior to wheel balancing. Due to the porous abrasives and a cup shaped grinding plate, there is minimal dust, and the Velcro adhesive makes it easy to change out. It has been optimized for the latest wheel rims with an enlarged diameter of 75mm.

SEMA Booth No. 10323

Circle 211 on card, or enter at "e-inquiry" on VehicleServicePros.com

SEMA



Deliver a high lifting capacity from 30 up to 100 tons

The Chicago Pneumatic Line of air hydraulic **Booth No.** jacks are well suited for 10104 tire changing and general mechanic applications on

heavy vehicles such as buses, trucks and agricultural vehicles. There are four jacks in the range, and they deliver a high lifting capacity from 30 up to 100 tons. The The CP85030, CP85050, CP85080 and CP85100 air hydraulic jacks are designed to provide high durability thanks to their air hydraulic system. They also feature a hard chromium plated piston rod and an anti-dust ring. The air hydraulic jacks are also fully CE, TUV and ASME certified. Circle 209 on card, or enter at "e-inquiry" on VehicleServicePros.com

Automatic transmission fluid exchange

The Gear Tronic transmission fluid exchange device from Liqui Moly ensures a complete exchange of automatic transmission fluid by pumping the old transmission fluid away, and at the same time pumping fresh transmission fluid into the system, to ensure a complete exchange while the fill quantity remains exactly the same during the

AAPEX **Booth No.** 33021

fluid exchange. The Gear Tronic can also administer additives to the transmission. Circle 212 on card. or enter at "e-inquiry" on VehicleServicePros.com

Lift up to 12,000 lbs The MAHA MAPOWER

II 5.5 is a two-post lift with a capacity of up to 12,000 lbs. It is part of the MAPOWER II series. MAHA's redesigned twopost lifts incorporate functions to enhance usability and maintenance operations. The lift's optional Wi-Fi connection enables the lift



to communicate with a service provider through the internet independently or on operator request. The option of a second control unit on the opposite column improves efficiency. Each support arm is designed to swing over the floor, not the base plate, allowing a low drive-over height. Circle 213 on card, or enter at "e-inquiry" on VehicleServicePros.com

Choice of 14 models

The Florida Pneumatic AIRCAT 6700 Series Low Vibration Lube Free Orbital and Geared Sanders offer a choice of 14 models in 3/32" and 3/16" orbit options. The doublesealed, lubrication-free motor prevents dust contamination of the air motor and eliminates the need for oiling. The tools have a smooth design throttle lever

and ergonomic grip for comfort, and only consume 1.6 cfm on average and 6.2 cfm continuous running under load. Non-vacuum, central **Booth No.** vacuum and self-vacuum options are available, while pad options include 3", 5", 6" and 8" hook and loop. The sanders include anti-vibration motors and silencing technology that reduces noise levels to 75-78 dBA. The lightweight, low-profile orbital and geared sanders will be available in January 2017.

Circle 210 on card, or enter at "e-inquiry" on VehicleServicePros.com



SEMA

10379



Recognizing and addressing GDI ISSUES

While Gas Direct Injection has improved since the early adoption of this technology, carbon buildup can still be an issue shops must address.

By Barry Hoyland, Contributing Editor



ess than 10 short years ago, the technology which is most widely known as Gas Direct Injection (GDI) was being used on under 5 percent of the cars being built. Due to stronger requirements to meet CAFE (Corporate Average Fuel Economy) standards mandating vehicle manufacturers improve fuel economy of their entire fleet, its use in 2015 went up to approximately 45 percent of gasolinepowered vehicles in the U.S. The utilization of GDI is expected to approach 70 percent over the next few years.

VEHICLE AFFECTED: All vehicles with gas direct injection (GDI) ▲ The BG Air Intake System Cleaning Tool, No. 9209, an attachment used on the BG VIA apparatus, finely atomizes BG GDI Intake Valve Cleaner for safe, effective cleanup. Circle 214 on card, or enter at "e-inquiry" on VehicleServicePros.com

With any new technology, there can be growing pains where early systems can have issues that later changes overcome. In the case of GDI, improvements to the systems have not only overcome many early problems, but have also improved the effectiveness of the system and further increased fuel economy.

In order to understand GDI and the differences in diagnosing drivability concerns with it versus traditional fuel injection systems, it is important to be familiar with the basics of a GDI system. TOOLS USED:

- Scan tool
- Fuel pressure tester
- Vacuum gauge
- Lab scope with pressure transducer
- Borescope
- Combustion and fuel system cleaners
- Approved solvents for carbon cleaning

Traditional late-model Port Fuel Injection (PFI) systems utilize a pulse width modulated low-pressure fuel pump (typically under 50 psi) without a fuel return system that prevents hot fuel returning to the tank. Fuel injectors receive this fuel through a common fuel rail, and then distribute fuel into the intake port where it mixes with air while being delivered to each cylinder through its intake valve.

Most GDI systems use a pulse width modulated low-pressure pump just like a PFI system. The difference with GDI is that the low-pressure system delivers fuel to a camshaft-driven high-pressure pump where the fuel pressures can be increased to as high as 3,000 psi. This fuel is then delivered to injectors that are placed directly into the combustion chamber. The high-pressure fuel is mixed with air in the combustion chamber rather than the intake manifold thereby atomizing it better, allowing more complete combustion as well as improved fuel economy. This process allows for a leaner overall air/fuel mixture that is burned without creating excessive emissions.

Newer versions of GDI systems are relatively free of trouble, while some of the earlier versions had significant issues. Most of the problems with GDI stem from carbon buildup in the intake system. There are a few notable instances of other issues with GDI systems, mostly related to the high-pressure pump. We will be discussing some of the common issues and how to best utilize the necessary tools to diagnose the problem. The primary symptom of GDI system issues tends to be rough idle after starting.

DUPLICATE THE CUSTOMERS CONCERN

As always, the first step in diagnosing a vehicle is confirming the condition exists in the conditions the customer states the issue occurs. By doing this, you will also be able to confirm you have completely and correctly repaired the vehicle.

SCAN THE VEHICLE Scan the vehicle to check for any fault codes. Note any codes that are present as well as any freeze frame data. It is also a great idea to see if all the monitors have been completed and to check the results through Mode \$06 in your scan tool to determine if any of the monitors are close to failing or if they are within the normal range. Monitors that are close to failing can assist you in diagnosing intermittent issues. You may also be able to use Mode \$06 to detect which cylinder or cylinders are misfiring.

Observing data PIDs such as coolant, intake air and fuel temperatures can give clues to possible issues. Coolant temps that are too high can be signs of internal engine issues that may cause symptoms similar to what was experienced. Fuel or air temp PIDs that are not normal can also assist in your diagnosis.

As with any diagnosis, both short and long fuel trim values can contribute valuable clues to determine how the engine management system is adjusting the fuel mixture to the engine.

OBTAIN VEHICLE INFORMATION

After confirming the issue exists and when it occurs, you are equipped with enough data to utilize your information resources, such as Mitchell 1 ProDemand, to determine if any TSBs are available. Since GDI implementation is relatively new, there are many relevant TSBs ranging from mechanical or electronic component replacement to reprogramming PCM strategies.

An example of mechanical failure on some of the early VW GDI applications is the camshaft lobe that drove the high-pressure fuel pump would wear prematurely due to extra pressure from the pump. The symptom of this is lowerthan-expected fuel pressure on the highpressure side with the PCM commanding higher-than-normal pressure. The repair of this issue was to replace the camshaft and high-pressure pump.

Another mechanical failure example includes the high-pressure pump leaking fuel into the crankcase. The symptom of a leaking pump is fuel in the crankcase. The TSB recommends replacing the pump and completing two successive oil changes to remove excess fuel from the crankcase.

Using your vehicle information system can not only help you discover a common issue quickly, but also to determine the recommended repair for the failed component(s).

4 PERFORM ADDITIONAL DIAGNOSTIC TESTS

Once you have determined if there are any DTCs and/or TSBs, it is time to utilize some other necessary tools.

GDI systems require the low-pressure system be capable of delivering the correct volume of fuel at the correct pressure to the high-pressure pump. One of the first tests you should perform is a pressure and volume test on the low-pressure system. We use the Mityvac MV5545 fuel system tester to complete this test. This kit has a fuel pressure gauge as well as a flow meter to test the volume of fuel being delivered. Keep in mind it is necessary to use your scan tool to command the pump to operate at 100 percent.

Due to the extremely high fuel pump pressure, GDI high-pressure tests cannot be performed with a mechanical tester, you must observe the fuel pressure PID using your scan tool.

Another useful test is to use your vacuum gauge to measure engine vacuum at an intake manifold vacuum source. Engine vacuum is not only an indicator of the mechanical condition of the engine, but results of vacuum testing may lead you to find carbon deposits causing rough idle symptoms.

Carbon buildup on intake valves in GDI systems are caused by a couple of things. On most GDI systems no fuel is injected into the intake system, so blow-by

www.VehicleServicePros.com O OCTOBER 2016 O PROFESSIONAL TOOL & EQUIPMENT NEWS 73



7,000 through 30,000 lb. capacities. Inquiry #10





STORAGE

18,000 lb.

capacities for

storage and vehicle service.

Inquiry #11

LIFTS 10,000 through

MOHAWK

IFTS

DO IT ONCE. DO IT RIGHT. BUY A MOHAWK!

LIFTS THAT LAST

A LIFETIME

MP-Series electric-hydraulic mobile lifts available in 2,4, 6, or 8 post configurations. Inquiry #12

FOUR POST RUNWAY LIFTS 19,000 through

19,000 through 120,000 lb. capacity models give complete under vehicle access. Inquiry #13




TR-75

Circle 215 on card, or enter at "e-inquiry" on VehicleServicePros.com









This screenshot from a lab scope shows the cranking vacuum using a transducer before (left) and after (right) the intake was cleaned.

gases and oil residue are not "washed" from the back of intake valves. Heat from EGR systems, or heat generated from exhaust valve timing, may bake the residue into hard carbon deposits. The carbon deposits then create turbulence in the air flow entering the engine through the intake valve and can cause an uneven mix of the air and fuel. If the carbon deposits are significant, a vacuum gauge will show both a lowerthan-expected reading and may show slight pulsations of the needle.

A more precise tool to perform this test is a lab scope and a pressure transducer. Since you are able to set the time of the waveform, you can see the vacuum pulsations more easily with the lab scope. Connect the transducer to a manifold vacuum source and to your lab scope. Disable the fuel pump and/or the ignition and crank the engine. The waveform will show uneven amounts of vacuum as well as some "hash lines" indicating turbulence in the intake system.

DETERMINE THE EXTENT OF CARBON

One of the best ways to determine how severe the carbon issues are, and therefore the best way to repair the issue, is to use a borescope.

Using the borescope to look inside the cylinders through the spark plug hole may not show much carbon. Typically, most carbonization issues occur in the intake valve, while the tops of the pistons remain fairly clean.


Accessing the back of the intake valve to observe how much carbon is built up

on the valve stem and back of the valve usually involves removing the intake plenum, then inserting your borescope into the intake valve area. If significant carbon is detected, there are a few different options available to remove it.

REMOVE THE CARBON The best way to remove carbon is to follow the vehicle manufactur-

to follow the vehicle manufacturers' recommended procedure, which can usually be found by looking at TSBs or service campaigns in your vehicle information source.

There are both induction and fuel injection cleaners available to the aftermarket. Cleaners can be a chemical additive or a chemical that is introduced to either the fuel system or intake system. Fuel system cleaners are commonly known as fuel



▲ Examples of major (top image) and minor (bottom image) intake valve carbon buildup, taken with a borescope. Images provided by: Automotive Test Solutions

injection cleaners and work well to clean fuel injectors as well as intake ports and valves on PFI systems engines. However, even though fuel system cleaners will work to clean fuel injectors on GDI systems, they will not help clean carbon deposits in areas where fuel does not reach. Intake system cleaners, more widely referred to as induction cleaners, are introduced into the intake manifold or throttle body where they can be distributed throughout the air induction system and reach areas where a fuel additive could not get to on a GDI engine, such as the back of the intake valves.

Some of the established de-carbon methods include using approved solvents and delivering them through the intake system using an apparatus to dispense these fluids, such as the OTC 7448 or 7448A Fuel Injection Cleaner Canisters.

We have had years of success using BG Products, such as the BG Fuel Injection



Accessing the back of the intake valve to observe how much carbon is built up on the valve stem and back of the valve usually involves removing the intake plenum then inserting a borescope, like the ATS IC Inspection Camera, into the intake valve area.

Circle 216 on card, or enter at "e-inquiry" on VehicleServicePros.com



System Cleaner and BG Air Intake System Cleaner delivered to the injection and induction systems, using the BG VIA Vehicle Injection Apparatus. This process has worked well on PFI applications. Addressing the demand for quality induction and combustion system cleaners for GDI systems, BG recently introduced products to effectively clean carbon deposits on GDI systems with their BG Fuel Injection & Combustion Chamber Cleaner and BG GDI Intake Valve Cleaner, which are also delivered to the system with the company's BG VIA Vehicle Injection Apparatus.

Other methods include closing each intake valve in turn and using a pick and brush to loosen the carbon through the intake port, then vacuum the material from the intake area.

Extreme cases of carbon may be cleaned by using a media blaster loaded with walnut shell material through the intake ports and vacuuming the residue.

Video



To watch a short video showing carbon buildup in a direct injection port, using the ATS Borescope, visit VehicleServicePros.com/12262725

Care should be taken in any cleaning method to assure hard carbon deposits are removed completely so they are not sucked into the engine or the turbo charger (if equipped), where they can cause significant damage.

PREVENTING FUTURE ISSUES

You can assist your customer in preventing future carbon issues by convincing them to perform regularly scheduled oil changes with the correct oil. It may not be a good idea to use aftermarket air filters that use oil as the oil may leave a residue in the intake port that may turn into carbon. Regular maintenance of the PCV system will also reduce the possibility of carbon deposits. Most vehicle manufacturers also recommend the use of Top Tier fuels in GDI system vehicles. Another way to assist in keeping carbon in check, especially in cold or humid climates, is to drive the vehicle on trips long enough to warm up completely and burn off moisture in the crankcase.

All in all, GDI looks to be the future of fuel injection, and there will be improvements that will take care of issues like carbonization. Some of the newest technology includes using a port fuel injector to assist with cleaning the intake port combined with a GDI injector to get the best of both worlds. **PTEN**



AAPEX Booth #1550

(Top 10 Tools



Tools to complete the mission

Randy Begin's mission is to restore the integrity and respect of the automotive industry one repair shop at a time. He uses these tools to progress toward those goals.

By Josh Smith, Contributing Editor

TECHNICIAN: Randy Begin LOCATION: San Diego, Calif.

SHOP: Mission Hills Automotive and Cass Street Automotive

Randy Begin is the owner of Mission Hills Automotive and Cass Street Automotive, both located in San Diego, Calif. He is an ASE Certified Master Technician, and is L1 and L2 Certified, in addition to being a California certified smog inspector. He says his mission is to restore the integrity and respect of the automotive industry by taking over and improving automotive repair shops one at a time.



Want to show off YOUR Top 10 Tools? For more information, email Editor@VehicleServicePros.com. Begin says he never leaves home without this necessity. "Too many uses to list, plus if you have a good one, the magnet on the other end is a life saver," he says. "Sometimes the simplest tools are the most important."

2 Describing it as a must for anyone servicing or repairing VW and Audi vehicles, Begin says this tool is simple to use, comprehensive and can scan every module on vehicles. Plus it prints out a report. "It saves all coding data on the first pass, so if you change a part that requires coding, you have the information," he explains. **Circle 219 on card, or enter at "e-inquiry" on VehicleServicePros.com**

Begin likes that this hoist can be mounted flush so that any vehicle with more than 1/2" ride height can be aligned and serviced, adding the equipment opens up many profit avenues. "The number of factory lowered vehicles is only going to increase due to the fact lower is more efficient," Begin notes. "Plus with this rack you can go after the high-end alignment business. Combine that with all air suspension vehicles that are super low when collapsed, this rack is a money-maker."

Circle 220 on card, or enter at "e-inquiry" on VehicleServicePros.com

4 This camera has a Wi-Fi hotspot that transmits to a phone. Begin mounts the device to a suspect area of the vehicle by using the camera's suction cup, and then he watches suspension movement, front end vibrations, drive train shifting and more in real time. Begin cautions safety, adding its best to watch this video from the passenger seat while someone else drives.

Circle 221 on card, or enter at "e-inquiry" on VehicleServicePros.com

5 "It connects to a laptop and allows easy inspection, but, more importantly, easy recording and emailing to customers," Begins explains, calling this inspection camera a requirement for shops that want to keep customers informed.

Circle 222 on card, or enter at "e-inquiry" on VehicleServicePros.com

6 Begin concedes this information source is not a traditional tool. "But if you are not using it, you are missing out on a wealth of information and other people's experiences," he says.

Circle 223 on card, or enter at "e-inquiry" on VehicleServicePros.com

The welder identifies and sets the machine up for whatever power source is available at that time. "Simply switch the included plugs and go from 110(V) to 230/220(V) in a snap," says Begin. "Welds more thickness than any shop should tie into."

Circle 224 on card, or enter at "e-inquiry" on VehicleServicePros.com

These tools are "a blessing" for Begin, adding the wrenches are time-savers and assist productivity in many ways. "With cars trying to cram more into less space, the GearWrench is the latest must-have hand tool for the line tech of the 21st century," he says. **Circle 225 on card, or enter at "e-inquiry" on VehicleServicePros.com**

9 "I am a tech from the (19)80s, and I owned every possible air tool available. They were time-savers on steroids," Begin recalls. "Now, with the advent of Li-ion battery power and longevity, the handheld 3/8" battery-powered ratchet is a must." Not relying on air hoses or lubing air tools every day is an added benefit to using the cordless ratchet.

1 0 "The air compressor is one of the loudest noises in the shop, but not anymore," Begin says. "With screw type compressors, you can work right next to the unit running at full output and have a normal conversation. Wow, the new technicians today really have it good."

Circle 226 on card, or enter at "e-inquiry" on VehicleServicePros.com





Cal-Van Tools Amp Hound 2

The reviewer says this tool is great for helping save technicians valuable time.

by Mike Schmidt, Managing Editor



PRODUCT DESCRIPTION:

The **Cal-Van Tools Amp Hound 2**, an amp meter for fused circuits, offers real-time readings of current and amps in a fused circuit without removing the fuse. By touching the probes to the top of a fuse, users get a reading. It works on Mini-LP and Micro-Fuse fuse types, as well as with mini, standard and maxi fuse types. A tone alerts users when the tool is touching the fuse, making underdash work simpler. When troubleshooting components, the user can go to the fuse box to check current/amperage instead of the component itself. The fuse adapters lock onto the fuse for hands-free control.

Circle 227 on card, or enter at "e-inquiry" on VehicleServicePros.com

he Cal-Van Tools Amp Hound 2 is a tool that will save technicians time.

An amp meter for fused circuits, the Amp Hound 2 offers its users real-time readings of current and amps without the need for them to remove the fuse. When Barry Hoyland, owner of Vehicle Service Solutions of California, tested the tool on a number of vehicles, he came away quite impressed by the Amp Hound 2's performance and capabilities.

Hoyland commends the Cal-Van offering for its ability to allow him to connect directly to a fuse, relay or battery in order to read circuit draw in amps, without having to perform the math necessary to convert voltage to amps. He employed the Amp Hound 2 to test for a parasitic battery drain on a 2011 GMC Sierra, and he also used it for testing several component issues, including an A/C blower and window motors on various vehicles. "This tool saves time and provides the ability to check if a component is drawing too many amps, a circuit has a parasitic drain, or if there is excessive resistance in a circuit," says Hoyland.

According to Hoyland, the Amp Hound 2 arrived in a carrying pouch complete with fuse adapters and cords for connecting directly to a circuit. A user manual was also included, in addition to instructions on how to use the tool printed on the back of the unit Hound 2.

"The Amp Hound 2 includes an easy-to-follow instruction manual on the use of the tool," Hoyland says. "The manual has appropriate safety precautions as well as comprehensive instructions for both novices and experts in automotive amperage testing."

For updated versions, Hoyland says providing a set of alligator clips with the Amp Hound 2 would improve the functionality of the tool for more technicians.

In terms of set-up, all Hoyland says he needed to do to get the Amp Hound 2 up and running was unwrap the tool and the fuse adapters that were included with it. He quickly found that it was easy to use, and he also noticed and appreciated both the tool's compact size and that all of the necessary fuse connectors were available in one kit.

Overall, Hoyland thought highly of the tool for a number of reasons. One significant one, he says, is that the fuse connectors included with Amp Hound 2 allow a technician to easily connect a lab scope to a circuit for waveform analysis without the need to install jumper connections.

"And, since you are able to connect directly to a fuse, it saves time," he adds. **PTEN**



:00

TraXion BigFoot ProGear Roll Seat

A roll seat at the right height like this one is a necessity for this reviewer, who doesn't use overhead lifts in his shop.

by Vesna Brajkovic, Assistant Editor

n shops that don't use overhead lifts, a seat at the right height is the difference between a technician working comfortably or having to spend hours sitting on his or her knees to work on vehicles.

For Eric Moore, owner of DeMary Truck in Columbus, Ohio, the TraXion Bigfoot ProGear roll seat is at the optimal high to sit and work on the vehicles in his shop, which are raised up via floor jacks 18" to 23" on average. At that height the vehicle's axle is about waist high, making it too high for technicians to work on the axle sitting on the floor, and too low to stand and work.

Because of this the ProGear Bigfoot was mainly used for brake- and batteryrelated jobs, and it saw a lot of use when replacing caliper pads and rotors on the Mitsubishi-Fuso trucks DeMary Truck often services.

Moore said the seat is very sturdy, and rolls seamlessly under any type of weight from the technician.

Moore's shop floor has some cracking and pitted concrete which caught the wheel of the Bigfoot seat, but, as Moore says, "anything less than a pneumatic tire will always get caught that way." He says his other mechanic seats in the shop, which have little casters, do much worse combatting the pitted concrete.

There is some assembly required before using the Bigfoot roll seat, and

it comes with a round plastic tray, called the Spinning Gear Tray, that spins 360 degrees and sits on the lower frame of the seat.

For Moore, the removable Spinning Gear Tray feature needed some improvement to work in his shop. He suggests a more secure, trimmed back tray, so the tray wouldn't get caught on work boots, which he saw happen occasionally. Ideally, he would rather have a clip or spring-loaded bearing with a lip so it can still be removed.

"While [the tray is] a nice feature, and very usable, our environment didn't support it," Moore said. "The tray is not secured to the chassis, so it was knocked off a lot, and eventually we just removed it. One of our guys put it on his tool cart and uses it for a parts tray. We considered putting a couple screws through it into the chassis to secure it, but that takes away from the design for it to be able to spin 360 degrees."

Aside from the suggested changes to the tray, Moore confirmed the TraXion Bigfoot ProGear roll seat was a "good product" and "very simple and easy to use." PTEN

Manufacturer's note: TraXion Engineered Products values the feedback from technician reviews. In the PTEN review of our Bigfoot ProGear Roll Seat we understand the reviewer's frustration with the tray, and have redesigned the tray. The tray is now removeable with carry handles, and fits within the frame. The updated tray will be available in early November 2016.

PRODUCT DESCRIPTION:

The **TraXion BigFoot ProGear Roll Seat** features large 4" Speed Casters to provide excellent mobility on most shop floors, and an upholstered seat padded for extra comfort. The large Spinning Gear Tray spins making it easy for technicians to locate tools and parts, and is also removable and portable so users can take the tray along to the tool bench, load it with the tools and then head back to the seat to work. The deep well center accommodates cans or other tall items, and the tray spins for easy access to all of its contents. The seat has a non-porous material for easy cleanup.

Circle 228 on card, or enter at "e-inquiry" on VehicleServicePros.com



SABER 700-Im COB LED Rechargeable Tube Light

The bright light produced by this unit helps these reviewers work efficiently under the hood.

by Josh Smith, Contributing Editor

hen working under the hood, a technician must be able to see in order to be productive. According to Eric Moore and Phil Fournier, the SABER COB LED Rechargeable Tube Light projects ample brilliant light where it's needed most.

"It is very bright, and bright lights help pinpoint problems faster than hunting for problems that could have been illuminated with more light," says Moore, co-owner of DeMary Truck in Columbus, Ohio.

"The light is incredibly bright with a reasonably long battery life," adds Fournier, owner of Phil's Auto Clinic

PRODUCT DESCRIPTION:

The **SABER 700-Im COB LED Rechargeable Tube Light**, No. ATD-80377, is bright and durable. The SMD LED top light provides an additional 50-Im flashlight function. This light is designed to hold up in tough shop conditions because of its heavy duty, rubberized handle and impactresistant, ergonomic housing. It is IP54 rated for dust and water resistance, and it features two removable swivel hooks with strong magnets to allow hands-free use. The Li-ion rechargeable battery provides three hours of continuous runtime with consistent light output.

Circle 229 on card, or enter at "e-inquiry" on VehicleServicePros.com in Hemet, Calif. "It is the best light for broad underhood lighting that I have ever used, in a very compact setup."

The only setup required is fully charging the light. Then, Moore says, it's very easy to use, noting the device utilizes a single-button on/off switch which toggles the light between pinpoint, low and high settings.

In addition to the charger and a single-page instruction sheet, the light comes with two clips with magnetic backs as well as swivel hooks that allow the light to be hung in the work area.

"The previous lights we tested did not have any mounts, but were plenty bright," Moore says. "This one has it all."

Fournier also appreciated the mounting options, noting he used the tool to troubleshoot modules or wiring deep in the engine compartment where he could not see the wiring colors. He also used it to light up a BAS module located in a difficult-to-see fender area, as well as troubleshooting cooling fan connectors in a poorly lit location. "It also worked great for doing a valve adjustment on a Honda Odyssey minivan," he adds.

"For an old guy like me with bad eyes, the brightness is both necessary and very helpful," Fournier says. "I like the fact it also can be used as a flashlight with a beam on the end as well as the side – though I mostly used the side lighting."

Impressed that the battery life lasts nearly five hours when fully charged, Moore points out that the SABER Tube Light can be used with the AC adapter plugged in, too.

While the magnetic mounts held up well, the plastic clips eventually became loose and Moore used a small dab of epoxy to keep them in place. He suggests adding a Velcro strap as a possible improvement. Replacement clips are also available from the manufacturer.

Other than this improvement, Fournier says he was impressed by the SABER COB LED Rechargeable Tube Light, overall.

"I was a little worried about durability," he explains. "But so far the light has been dropped several times and is holding up okay." **PTEN**



Noregon Systems JPRO Professional

The reviewer says this tool offers a number of capabilities and helps technicians do their jobs more efficiently.

by Mike Schmidt, Managing Editor



PRODUCT DESCRIPTION:

Noregon Systems subscription-based JPRO Professional software with the 2016 v2 update includes the Next Step feature, which allows users to read and diagnose an entire truck in one pass, in under one minute, from one screen by providing technicians over 44.000 OE level fault codes and detailed repair information. With an emphasis on easy-to-understand graphical interface, vehicle systems are listed and can easily be seen in one location on one screen, and FMI assistance has been added to easily find, read and understand FMI definitions. Improved functionality was also placed on Cummins and Detroit Diesel engines, as well as heavy duty emissions fault support. Users now have the ability to read and clear HDOBD and emission faults. Additional features such as fuel injector calibration and increased bidirectional capabilities are also included with this version.

Circle 230 on card, or enter at "e-inquiry" on VehicleServicePros.com

he word "fast" is used early and often when Travis Whitehead talks about Noregon JPRO Professional diagnostic software.

The service manager at Greensboro, NC-based McCarthy Tire Service says he greatly appreciates that JPRO works on a wide range of heavy duty vehicles, and it allows him to obtain access to troubleshooting codes for any sub-system on that vehicle quickly and easily.

"This tool does it all, it's all rolled into one, and it gives you everything you need to know in a matter of seconds after you plug it in," Whitehead says. "It's really fast."

According to the service manager, he and others at McCarthy Tire Service conduct quite a bit of preventive maintenance service work and alignment work on vehicles. In addition, he uses JPRO for brake work, wheel-end work, resetting dashboard lights, exhaust gas recirculation diagnostic testing and other diagnostic work.

The facility sees a number of fairly large carriers, many of which run International ProStar product and Freightliner Cascadia vehicles. JPRO, he says, serves as a convenient means to provide him with the requisite information he needs to advise clients on what they should do with their vehicles.

JPRO was developed to service a wide range of fleet sizes, from smaller independent facilities to larger dealerships.

"It is a great tool for a shop that's servicing medium-sized fleets," adds Whitehead, also noting that the setup of the tool is quite fast as well. "This tool, when you hook it up, is a one-stop shop. It connects to (the) VCM that truck has, and it gives you feedback from every message center." Another significant benefit of using JPRO, continues Whitehead, is it allows for him to print out a report and give it to his customers. This allows for those customers to see a "snapshot" of the vehicle to determine whether or not they immediately want a problem addressed.

"It's also really user-friendly," he adds. "It's just plug and go."

While Whitehead can perform manual diesel particulate filter regenerations on certain vehicles using JPRO, he says he wishes it allowed for him to do so on every vehicle that enters McCarthy Tire Service.

Overall, Whitehead thinks quite highly of the latest version of Noregon's JPRO Professional diagnostic software.

"It pretty much does what I expect it to do," says Whitehead. "It's lived up to its expectations, and so far I have no complaints. The biggest thing is its fast. That's what amazes me, is just how fast you can utilize it." **PTEN**



n addition to product details on a specific category, this section now features a number of different resources on this subject. Use the key below to determine what type of content you're reading.





RECESSED HANDLES AND HIDDEN FASTENERS

The Borroughs Automotive Workstation features lower cabinets with modern aesthetics, including recessed handles and hidden fasteners. Additionally, it offers tool drawers consisting of heavy duty steel construction, with a capacity of 400 lbs. The upper cabinets boast a soft close feature, allowing them to be lifted with one hand. Other components include lift control cabinets, reel cabinets, shelf cabinets and more.

Circle 231 on card, or enter at "e-inquiry" on VehicleServicePros.com



To watch a video demo of this product, go to: VehicleServicePros.com/12196479

HOW ONE SHOP TACKLED THE **PROBLEM OF TRYING TO ORGANIZE SPECIALTY TOOLS**

Technicians at Bitterroot Motors in Missoula, Mont., were seeing red-that is, red plastic totes full of specialty tools. For every new car model, the Ford dealership receives one of these cases full of specialty tools from the manufacturer, and about 100 cases had piled up. The more tools the dealership received, the



harder it got to keep track of them. Technicians would use a tool then leave it on their bench or put it in their own toolbox. Or they would put it back in the red case but leave the case where they were working. This inefficiency was costing many hours as techs searched for tools, in some cases, only to find that the tool they needed was missing.

"Our techs were constantly looking for tools." recalls Chuck Pummill, Bitterroot's technical service manager. To help dealers like Bitterroot, Ford asked Vidmar to develop an inventory control system that keeps all of these specialty tools in one place and easy to track. Called "Rotunda," it consists of four Vidmar cabinets with a total of 52 tool drawers, plus overhead cabinets for bulk storage. A master index leads the tech to the appropriate drawer, where a laminate liner indicates the tool's location with a picture of the tool and the tool number.

Dealerships have different options for how to keep track of who is using what tool. Some keep the cabinets in the parts department and require techs to check the tools out. Bitterroot has found it more efficient to furnish techs with a set of personalized dog tags, which they place in the drawer when they remove a tool.

Bitterroot was one of about 50 or so Ford dealerships to have the Rotunda system in place at the beginning of 2006.

Pummill credits it with a big savings in time and money. "The Vidmar drawer system is absolutely wonderful," he says. "The techs love it, and the time wasted looking for special service tools has been reduced tenfold."

Moreover, with the dog tag system, individuals are accountable for every tool they remove from the cabinets, and the drawer system makes it very easy and quick to do a tool inventory.

"Now it is very rare that we can't find something quickly," Pummill says.

Information provided by: Stanley Vidmar

LOW OPERATING TEMPERATURE

The BendPak Hush-Quiet 7.5hp Rotary-Screw Air Compressor, No. RS7580H-603, is designed to meet the compressed air demands of high-volume tire shops, general maintenance and fleet shops, vehicle body and paint facilities or automotive dealerships. The compressor's lower operating temperature enables it to function continuously. Standard features include variable speed drive controls with timed shutdown, access doors to ease service, a spin-on oil filter, a heavy duty inlet filter, an asymmetric rotary screw with oil injection, a spin-on oil separator and an air-cooled after-cooler.



Circle 232 on card, or enter at "e-inquiry" on VehicleServicePros.com

KEEPS TOOLS EASILY ACCESSIBLE

The Mayhew Tools Countertop Displays feature premium guality product and turn driven assortments designed for an array of selling environments. These displays are

designed to keep the tools easily accessible. Each base consists of an outer plastic shell with a foam core that holds each tool tightly for upright display. The company offers a wide variety of sets from the 102-pc Punch and Chisel display, to more individualized displays, such as displays for the screw extractors or inspection tools.

Circle 233 on card, or enter at "e-inquiry" on VehicleServicePros.com





TRAPS 99.97 PERCENT OF DUST

The **DeWalt 20V MAX 1/2 Gallon Wet/ Dry Hand Vacuum**, No. DCV517, has a filter that traps 99.97 percent of dust as small as 0.3 microns, according to the company. A membrane coating minimizes dust penetration through the filter and allows the cartridge to be rinsed after use. This vacuum features a tank capacity of 0.5 gallons as well as a flexible hose attachment. This 2.5' hose is extendable up to 5' and accepts DeWalt vacuum accessories with the addition of the Universal AirLock Adaptor. The DCV517 also has a gripped handle for comfort. Powered by the DeWalt 20V MAX battery system, the vacuum offers a significant run-time improvement over previous models.

Circle 234 on card, or enter at "e-inquiry" on VehicleServicePros.com



Category Spotlight

Shop Equipment and Tool Storage

STORE CORDLESS TOOLS IN OR ON TOOLBOX

The Killer Tools Cordless Tool Garage, No. ART55, allows users to store cordless tools in or on the side of a toolbox. According to the company, powerful magnets hold the unit to any steel surface without falling.

> Circle 236 on card, or enter at "e-inquiry" on VehicleServicePros.com

OUTPUT OF UP TO 5,300 LM

The **Streamlight Portable Scene Light** has an increased output of 5,300 lm and now features a red low-battery warning indicator. Featuring a narrow footprint and a telescoping extension pole, the updated model can be used in wide, open places or tight, confined work areas. Powered by a 12V, 14.4 Ah lead-acid battery, the light uses six C4 LEDs and wide-pattern parabolic reflectors to provide two selectable beam widths and three levels of light intensity. The light features a rotating head that can be extended on a telescoping pole to an overall height of 72", supported by stabilizing legs that can be quickly deployed and locked to provide balance on uneven surfaces. The light also features a 90-degree swivel neck, enabling users to precisely aim the beam.



Circle 235 on card, or enter at "e-inquiry" on VehicleServicePros.com



Circle 237 on card, or enter at "e-inquiry" on VehicleServicePros.com

Circle 238 on card, or enter at "e-inquiry" on VehicleServicePros.com



QUICK RELEASE SELF-LATCHING DRAWER PULL

The **Extreme Tools RX Series toolboxes** offers the company's patented, Quick Release self-latching drawer pull. It features a heavy duty



latch system which keeps drawers closed. The box's latch is also designed to last and doesn't pull away from the drawer front, or bend/break if the drawer is

slammed. It's also easy to use, as it requires just lifting the handle and pulling. When users push the drawer shut, the latches engage and the drawer stays closed.

Circle 239 on card, or enter at "e-inquiry" on VehicleServicePros.com

WHAT ARE SOME OF THE IMPORTANT THINGS TO CONSIDER WHEN LOOKING FOR A STORAGE SOLUTION?

Some of the important factors to consider when shopping for tool storage are:

- Total storage available, i.e. cubic inches and square inches (or cubes and squares as it is more commonly referred to in the industry)
- Load capacity of the drawers
- Warranty
- Build quality
- Flexibility and customization ability, i.e. ability to

expand in the future (as well as available accessories and drawer and color options)

Mac Tools storage offers its customers a wide range of storage options with high capacity drawers. The company's storage units are manufactured in the U.S., are built to last and backed with a lifetime warranty. Mac Tools also offers several accessories and options to expand the storage as its customers' storage needs grow. One example is the company's newly launched MB7530. This is Mac Tools' first ever 30" deep tool box, and it is 75" wide. This new design was developed by and for Mac customers. The width allows the box to fit in any traditional bay, but have a total of 47,000 cubic inches of storage space due to the new depth.

This box can be customized for customers' needs with made-to-order paint options, as well as a butcher block top and stainless steel top.

Information provided by: Mac Tools

VIDEO: FIREADE PERSONAL FIRE EXTINGUISHMENT SYSTEM WELCOME



To watch a video demo of this product, go to: VehicleServicePros.com/12226956

DURABLE OIL-FREE PUMP PROVIDES MAINTENANCE-FREE OPERATION

The **Campbell Hausfeld Quiet Compressors** are available in a 6-gal "pancake" model or an 8-gal horizontal wheeled model. They are designed to take on a wealth of jobs, including inflation, stapling or fastening, nailing and painting. The 8-gal model can also be used for bolting and tightening. The user-friendly design allows for easy monitoring and adjustment of air pressure. A durable oil-free pump provides maintenance-free operation. The DC060500 and the DC080500 are both 1hp units that offers a maximum psi of 125. **Circle 240 on card. or enter at "e-inguiry" on VehicleServicePros.com**



MAL



ONLY REDLINE DIAGNOSTIC LEAK DETECTORS ARE MADE IN THE USA, USED Daily in 112 countries, and come with a lifetime quality guarantee

WWW.REDLINEDETECTION.COM +1 714-451-1411

Circle 241 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #1661

HOLDS EIGHT COMMON TOOLS

The **Ernst Manufacturing Vslot**, No. 5350, is a screwdriver organizer that can hold eight common tools. The storage device is designed for use on all common pegboard

sizes, and the patent-pending "V" slot securely holds a wide variety of tools. When hung, tools tilt at a slight five-degree angle for added stability on the wall. The device's breakaway hang tab can be used for retail display and can be removed for organizers to mount side by side. The Vslot is 10" by 2.4" by 1.4", is made in the U.S.A. and comes with a lifetime guarantee. **Circle 242 on card, or enter at "e-inquiry" on**

ircle 242 on card, or enter at "e-inquiry" on VehicleServicePros.com







To watch a video demo of this product, go to: VehicleServicePros.com/12196719

RUNS OFF COMPRESSED AIR

The **Clayton Brakewasher BCE-520**, manufactured in the U.S.A, features brass fitting and stainless steel fasteners, and is built to last. The recirculating pump requires no electricity and runs off normal shop compressed air. The system is environmentally friendly – all filters can be disposed of as solid waste, and the used solution can be drained into sanitary sewer. The BCE-520 system includes 1L TNT organic, biodegradable cleaner and rust inhibitor; an Ultra Filter Cartridge; a Splash Pad filter; a Primary Micro Filter 6-Pack; and an Oil Magnet.

Circle 243 on card, or enter at "e-inquiry" on VehicleServicePros.com



ADDED PROTECTION FOR EPIQ SERIES STORAGE SYSTEMS

The **Snap-on Electronic Controlled Keyless Operation** (ECKO) Remote Locking System takes security to the next level, adding factory installed protection on EPIQ Series tool storage. With a key fob, technicians can secure tool storage units from up to 75'. Lock status is indicated with audio feedback; one

beep signals lock; two beeps signals unlocked. The system includes two pocket-sized key fobs and two keys. Fobs can be paired to multiple units or one unit can pair with two different fobs. Installing third-party security systems compromises tool storage warranties for Snap-on products, but factory installed ECKO Remote Lock protection ensures warranty and security.

Circle 244 on card, or enter at "e-inquiry" on VehicleServicePros.com

VIDEO: NEW PIG GRIPPY ABSORBENT MAT



To watch a video demo of this product, go to: VehicleServicePros.com/12248684



Circle 245 on card, or enter at "e-inquiry" on VehicleServicePros.com



Incorporates an Instant Adhesive & Welding powder. This combination can instantly repair almost anything. The RapidFix adhesive can be used by itself to bond most materials like rubber, metal or plastics or any combination of these materials. It sets instantly and can be drilled, tapped, sanded, primed and painted. We support the product with a 100% replacement guarantee for 12 months.

RapidFix Benefits

- It can bond almost any material to itself or to another material
- WILL NOT DRY OUT in the bottle • High strength - Bonds in seconds
- to most materials
- Instantly drilled, sanded and painted
 RapidFix adhesive dries clear
- Saves time and money
- #7121100

Visit our booth #6522 at AAPEX for Amazing demonstrations

Circle 246 on card, or enter at "e-inquiry" on VehicleServicePros.com

AAPEX Booth #6522





WHAT SHOULD I CONSIDER WHEN LOOKING TO BUY A PORTABLE EVAPORATIVE COOLER FOR OUR SHOP?

Look at the size of the space you need to cool. Consider the square footage and begin to narrow your choices

from there. Determine if you require a certain number of speeds and how much air velocity (cfm) you want to have. You'll need good access to a water source when running the cooler. Portable evaporative coolers typically come with a hose connection for automatic water refill when needed. That should help when it comes to the need for refilling, although manual refills are always an option. Lastly, consider the functions you prefer for easy operation. Are hands greasy where you'll need easy-flip switches? Or, do you prefer electronic control panels? Some of the larger evaporative coolers come with unique bells and whistles that could make your day-to-day use easier.

Information provided by: Portacool



FOUR-CORNER POST CONSTRUCTION

The **Beta Tools C39 Roller Cabinet** offers seven drawers with aluminum drawer fronts that lift in order to open the drawers. The fourcorner post construction provides a static load capacity of 2,200 lbs. Bottle Trays on the sides and back provide a place to keep spray bottles near the work area. The molded top features built-in tool holders and provides a convenient worktop. The roller cabinet also includes an inte-

grated paper towel roll dispenser on the side.

Circle 247 on card, or enter at "e-inquiry" on VehicleServicePros.com



MOST EFFICIENT FAN SPEED WITH

The **Big Ass Fans Powerfoil** — **X3.0** industrial ceiling fan includes

SmartSense control technology for comfort

and automatic energy savings. The Powerfoil X3.0 produces 15 percent more airflow than the company's Powerfoil X2.0. SmartSense, featuring summer and winter modes, which maximize the investment by selecting the most efficient and beneficial fan speed with minimal user input. The Powerfoil X3.0 fan is available in diameters of 8' to 24' (2.4m to 7.3m) and includes a non-prorated 15-year warranty with factory-certified installation.

Circle 249 on card, or enter at "e-inquiry" on VehicleServicePros.com

O INCLUDES EVA FOAM DRAWER LINERS

The **Homak 41" RS Series Tool Box** helps its users work more efficiently and safely by ensuring tools are kept well organized and easily accessible. The box includes full-length aluminum drawer pulls with black plastic end caps, features removable 390mm ball bearing glides in every drawer, includes EVA foam drawer liners, and is available in five colors (lime green, orange, black, blue and yellow). These units come with a five-year warranty.



Circle 250 on card, or enter at "e-inquiry" on VehicleServicePros.com

PROVIDE 175 PSI AND DISPLACE BETWEEN 9.1 AND 43.6 CFM

The Jenny Products electric two-stage, vertical-tank stationary air compressors provide 175 psi and displace between 9.1 and 43.6 cfm. Each compressor uses a heavy duty, two-stage cast-iron pump and powdercoated, ASME certified tank. A large flywheel provides for extra-cooling and easier startup, while special unloading valves further assist the motor in starting. A directional air shroud helps reduce pump temperatures, and a thermal-overload protection feature prevents the motor from drawing too much current and overheating. The two-stage vertical-tank stationary line is powered by a one-phase or three-phase electric motor providing between 2hp and 10hp. Tank sizes include 60, 80 and 120 gallons.

Circle 251 on card, or enter at "e-inquiry" on VehicleServicePros.com

RECESSED DRAWER HANDLES

The **Matco Tools Heavy Duty Service Cart**, No. MSC4, offers a patented bumper system to protect vehicles and other objects in shops. With recessed drawer handles that hide the drawer pulls behind the leg bumpers, this cart uses two gas pistons to automatically open and stay at the proper angle when unlocked. The 39.5" high by 20" deep by 33.75" cart has two 3" deep drawers, one 4" and one 5", plus a 5" deep top tray and 3" deep bottom tray. The unit comes with 5"



by 2" casters, which all swivel and two lock. The cart has a weight capacity of 500 lbs and is available in five colors.

Circle 252 on card, or enter at "e-inquiry" on VehicleServicePros.com



PROVIDE CONSISTENT AND EFFICIENT HOT WATER The Mi-T-M HAE Series Pressure Washers

feature all-electric, belt-driven equipment that come standard with heat exchanger cartridges to provide consistent and efficient hot water.



The HAE Series Pressure Washers are hard-wired to a heat exchanger and feature an industrial 6hp or 8hp electric motor, triplex piston general pump, stainless-steel and brass unloader, external downstream detergent injector and stainless-steel base and frame with rubber isolators. The cartridge design and heat exchanger supplies a 120 to 130 degree F

temperature rise within three to five minutes. Features include an adjustable thermostat, stainless-steel coils in aluminum casings and powdercoated steel frame.

Circle 253 on card, or enter at "e-inquiry" on VehicleServicePros.com

PROTECTING PERSONNEL FROM **INJURY CAUSED BY FALLS**

BayNets sliding net systems add an enhanced level of safety to any vehicle service center by protecting personnel from injury caused by accidental tripping, slipping or walking into



an open work pit. The high strength net cover opens from either end of a bay, is easy to install, operate and maintain. BayNets are custom sized and configured to work with raised or lowered drain pans.

jacks and similar service pit hardware. Pit cover installation complies with OSHA safe walkingworking surface requirements. BayNets is easily adaptable to rail, bus and virtually all commercial fleet maintenance facilities.

Circle 254 on card, or enter at "e-inquiry" on VehicleServicePros.com

AVAILABLE IN TWO POWDERCOAT **PAINT FINISHES**


The Monster 56" Toolbox Two-Piece Combo includes a sevendrawer top chest and eightdrawer roller cabinet. Designed with removable 460mm ball bearing drawers that glide safely and hold up to 100 lbs, the toolbox offers full-extension gas struts to support the tilt compartment lid for




easy opening and stability while

opened. The unit has four 6" by 2" roller-casters, two fixed and two swivel with locking levers, and a heavy duty push handle. The lockable cabinet and the HMC high security tubular locking system with keys keep tools secure. It is available in two 3.2 mil epoxy-polyester powdercoat paint finishes: Matte Black (No. MST5615MBG) and Monster Green (No. MST5615C).

Circle 255 on card, or enter at "e-inquiry" on VehicleŚervicePros.com





Circle 257 on card, or enter at "e-inquiry" on VehicleServicePros.com



Call Kaylee Kidd direct at: (920) 568-8362

Toll Free: (800) 547-7377 ext. 1362 • Fax: (866) 717-0902 • Email:kkidd@southcomm.com







Place Auto Hoist Door Guards on square-post hoists to prevent paint chips and door dents. Industrial strength magnets make installation easy.

Tri Springs Tool, LLC 914 Mineral Springs Road, Owatonna, MN Phone: 507-455-3161 • www.trispringstool.com E-mail: trisprings.tool@gmail.com







TURN YOUR TOOL Idea into Money

LISLE CORPORATION CURRENTLY PAYS ROYALTIES TO OVER 120 INDIVIDUALS.

Lisle has been in business for over 110 years and for over 40 years have been working with individuals on an award or royalty basis. If you

have an original tool idea which others may need, we have a procedure to evaluate your idea.



Respond now to request an idea disclosure packet.

P.O. Box 89 • Clarinda, IA 51632-0089 712-542-5101 · Fax 712-542-6591 www.lislecorp.com/about/program

Got CNC? Need a proven product line? Thousands of technicians

can't be wrong!

Lockit Socket Spark Plug Sockets Contact: Gary Ingram, Lockit Tools info@lockitsocket.com www.lockitsocket.com



Statement of Ownership, Management, and Circulation

Probes

| 1. Publication Title | 2. Publication Number | 3. Filing Date | |
|--|--|--------------------------------------|--|
| Professional Tool & Equipment News | 012-426 | Sept. 15, 2016 | |
| 4. Issue Frequency | 5. Number of Issues Published Annually | 6. Annual Subscription Price | |
| February, March, April, May, | 11 | Free to Qualified | |
| June, July, August, September, | | Subscribers | |
| October, Special November Issue, Decemb | ** | | |
| | Publication (Street, City, County, State, and Zip+4) | Contact Person | |
| SouthComm Business Media, LLC | | Sue Hanson | |
| 1233 Janesville Ave | | | |
| PO Box 803 | | Telephone | |
| Fort Atkinson, WI 53538-0803 | | 800-547-7377 ext. 1488 | |
| | | 000-047-7077 041. 1400 | |
| 8. Complete Mailing Address of Headquarters or | | | |
| SouthComm Business Media, LLC, 1233 Ju | anesville Ave, PO Box 803, Fort Atkinson, WI 535 | 538-06 | |
| 9. Full Names and Complete Mailing Addresses o | Publisher, Editor, and Managing Editor | | |
| Publisher (Name and Complete Mailing Address) | | | |
| Kylie Hirko | | | |
| 1233 Janesville Ave | | | |
| Fort Atkinson, WI 53538 | | | |
| Editor (Name and Complete Mailing Address) | | | |
| Erica Schultz-Shueller | | | |
| 1233 Janesville Ave | | | |
| Fort Atkinson, WI 53538 | | | |
| Managing Editor (Name and Complete Mailing Ad | dress) | | |
| Mike Schmidt | | | |
| 1233 Janesville Ave | | | |
| Fort Atkinson, WI 53538 | | | |
| | | | |
| | wned by a corporation, give the name and address of the o | | |
| | holding 1 percent or more of the total amount of stock . If no | | |
| | ned by a partnership or other unincorporated firm, give its n | same and address as well as those of | |
| | by a nonprofit organization, give its name and address.) | | |
| Full Name | Complete Mailing Address | | |
| SouthComm Business Media | 1233 Janesville Avenue, Fort Atkinson WI | 53538 | |
| 11. Known Bondholders, Mortgagees, and Other | Security Holders Owning or Holding 1 Percent | | |
| or more of Total Amount of Bonds, Mortgages or | | | |
| Full Name | Complete Mailing Address | | |
| City Paper, LLC | 1233 Janesville Avenue, Fort Atkinson WI | | |
| Decision Media,Inc | 1233 Janesville Avenue, Fort Atkinson WI | 53538 | |
| Chris Ferrell | 1233 Janesville Avenue, Fort Atkinson WI 53538 | | |
| North American Equity Investors, Inc. | 1233 Janesville Avenue, Fort Atkinson WI | 53538 | |
| Tom Schiff | 1233 Janesville Avenue, Fort Atkinson WI 53538 | | |
| Solidus Company, L.P | 1233 Janesville Avenue, Fort Afkinson WI | 53538 | |
| 12. Tax Status (For completion by parents | izations authorized to mail at nonprofit rates) . (Check (| Onei | |
| | is organization and the exempt status for federal incom | | |
| The purpose, function, and nonprofit status of th fax purposes: | Is organization and the exempt status for federal incom Has Not Changed During Preceding 12 Month | | |
| tax purposes: | | - | |
| | Has Changed During Preceding 12 Months | | |

PS Form 3526-R Facsimile

| 15. Extent and Nature of Circulation | | | Average No. Copies Each Issue During Preceding 12 Months 109,515 | No. Copies of Single Issue Published Nearest to Filing Date 101,120 |
|--|-------|--|---|--|
| a. Total Number of Copies (net press run) | | | | |
| b. Legitimate Paid and/or | (1) | Outside County Paid/Requested Mail Subscriptions stated on PS Form 3541, include deal within request the request, thereastering and interest requests from request, paid subscriptions including nominal rate subscriptions, employer requests, and subscriptions including, and extending conserve). | 96,125 | 98,823 |
| Requested (2 Distribution (By Mail and Outside the Mail) (2 | (2) | In-County Paid/Requested Mail Subscriptions stated on PS Form 3451, Include direct writem request from regisers, twismakeing and internet mquests from regisers, paid subscriptions including nominal rate subscriptions, employer mquest, a bestersky poor groups, and exchange groups.) | 0 | 0 |
| | (3) | Sales Through Dealers & Carriers, Street Vendors, Counter Sales, and Other Paid or Requested distribution Outside USPS. | 2 | 2 |
| | (4) | Requested Copies Distributed by Other Mail Classes Through the USPS. (e.g. frst-Class Mail) | 0 | 0 |
| c. Total Paid a (Sum of 15) | | Requested Circulation | 96,127 | 98,825 |
| d. Nonrequested Distribution (By Mail (2 and Outside the Mail) (3 | | Outside County Nonrequested Copies stated on PS form 3541. (https://amie.com/. Repeats Dorr 3 years old. Repeats induced by a Pamium, Buk Sales and Repuests including Association Repuests, Names dataned from Buiness directives. Usin, and other sarces.) | 3,220 | 1,844 |
| | (2) | In-County Nonrequested Copies stated on PS form 3541. (rolute Sample copies, Repuest Own 3 years off, Repuests induced by a Premium, Buk Sales and Repuests including Association Repuest, Names obtained from Buiness Directions. Link, and other sources.) | 0 | 0 |
| | (3) | Nonrequested Copies Distributed Through the USPS by Other Classes of Mail.(e.g. Prot.Class Mail, Nonrequestor Copies mailed in excess of 10% Limit mailed at Standard Mail or Pacings Rates) | 0 | 0 |
| | (4) | Nonrequested Copies Distributed Outside the Mail (Include Prices States) | 1,342 | 255 |
| e. Total Nonre | quest | ted Distribution (Sum of 15d (1), (2), and (3)) | 4,562 | 2,099 |
| f. Total Distribution (Sum of 15c and e) | | 100,690 | 100,924 | |
| g. Copies Not Distributed | | 8,825 | 196 | |
| h. Total (Sum of 15f and g) | | 109,515 | 101,120 | |
| i. Percent Paid and/or Requested Circulation (15c / 15f x 100) | | 95.5% | 97.9% | |
| 16. 0 Total circ | ulati | on includes electronic copies. Report circulation on PS Form 3526-X workshe | e. | |
| | | tatement of Ownership for a Requester Publication is required and will be prin issue of this publication. | ted | |
| | | itle of Editor, Publisher, Business Manager, or Owner | | Date |

PS Form 3526 -R Facsimile

Big-Time Boxes READERS OFFER A PROUD LOOK AT THEIR AWESOME TOOL STORAGE SYSTEMS.



OUNER: Marc Mellgren Crystal Lake Automotive Lakeville, Minn.

arc Mellgren has come across toolbox setups with a cabinet or two. But he says you rarely see a box with four cabinets – like the one he has.

The technician at Crystal Lake Automotive in Lakeville, Minn., has had his top-and-bottom Mac Tools Macsimizer for 18 years. The box – which measures 13' long by 69" high by 27" deep – boasts 21 drawers, including six additional drawers and 12 shelves located within his bevy of cabinets.

"I wanted the big storage, that's why I added on the four closets instead of buying a triple-bank," Mellgren says, noting he installed two cabinets right away and then affixed two more a couple years later.

Mellgren, who has been a tech for 25 years — the last 22 at Crystal Lake Automotive — has one shelf dedicated for paperwork. Also, plastic cases for ball joint presses and fuel pressure gauge sets store

Double the cabinet space

Additional space provides access to a total of 21 drawers and 12 shelves.

by Josh Smith, Contributing Editor

better in the closets than they would in the main part of the box or on the floor. "It opens up extra drawer space," he says.

The toolbox was easy to configure with adjustable drawers and shelving. He keeps frequently used tools like sockets, extensions and ratchets in the top drawer for easy, everyday access.

"The way I've got it set up, is pretty much the way it's going to stay," Mellgren explains. "It took me a little while to figure out how I wanted it. Once I got it there, it pretty much stays there."

About six years ago, Mellgren mounted a radio inside the box, adding speakers on top, as well as a refrigerator.

Because his shop works on all makes and models, and even performs body work, Mellgren added a pair of Mac Tools carts, which both measure 43" high by 36" wide by 20" deep. One has six drawers and one has three drawers with an open bottom. Both have slide-away top shelves on them.



Mellgren has two black Mac Tools tool carts, which provide additional storage as well as mobility.

"I've always had carts, but I got these two about a year ago," Mellgren says, explaining the units add extra storage space and mobility from job to job. "I'm not always in my stalls. I may have to go over to the body shop and do a wire harness or I may have to go across the shop and do an alignment or something. So I'll just pack my tools up on there and head across the shop." **PTEN**



Want to show off YOUR Big-Time Box? For more information, email Editor@VehicleServicePros.com.



WE DON'T JUST MAKE TOOLS. WE CREATE PASSION.

No other brand of hand tools in the world has the reputation for quality and innovation that Snap-on[®] does. Which is why they either fill the tool boxes of serious technicians and car enthusiasts. Or they fill their wish lists.



0

AL AL

nap-on is a trademark, registered in the United States and other countries of Snap-on Incorporated. All rights reserved. ©Snap-on Incorporated 2016

Snapall